# **Product Overview**

**The Evolving Product Lines** 


cDNA Clones Lenti Vectors and Particles Proteins Antibodies CRISPR/Cas9/sgRNAs RNAi




# **Comprehensive Collection of cDNA Clones**


## Choose from 100,000 ready-to-ship cDNA for a quick and cost-saving solution

- Broad coverage: human, mouse, rat and virus
- Expression clones driven by CMV promoter
- 10 μg transfection-ready plasmids
- Lenti vector/particles available



- Native protein expressed; No tags
- Cost-effective and time-saving
- Pathway-specific clone sets available
- Two tags readily available: Myc-DDK or GFP
- 20,000 TrueORF Gold: expression validated by WB
- Flexibility: easily shuttled to 80 destination vectors








# Easy Shuttling: The ORF insert can be shuttled to > 80 destination vectors

Vector	Vector SKU	Vector Map	Fusion Tag	Ideal Application	ORF Clone SKUs	Exam ple s
pCMV6- Entry	PS100001	pCMV6-Entry Vector 49 kb	C-terminal Myc-DDK	Detection and purification of over- expressed protein	RC2XXXXX	Myc-DDK tagged ORF clone can be applied to study protein expression in various applications
pCMV6- AC-GFP	PS100010	pCMV6-AC-GFP	C-terminal tGFP	Tracking the over- expressed protein in transfected cells	RG2XXXXX	GFP tagged ORF clone can be used to track fusion protein cellular localization



Epitope tagging	FP tagging	Selection markers	Lentiviral	Bacterial expression
Myc-DDK	GFP	Puromycin	Myc-DDK	His
НА	RFP	Neomycin	GFP	GST
His	YFP	Blasticidin	RFP	
3xDDK	CFP	Hygromycin	YFP	
FC	mBFP			
	mKate			

All TrueORF inserts housed in a pCMV6-Entry vector can be easily shuttled via PrecisonShuttle, a simple 'cut-and-paste' procedure, into any of the destination vectors (via two rare-cutting restriction endonucleases, Sgf I and Mlu I).



# Lentiviral System for Effective DNA Delivery

Vector Name	pLenti-C-Myc-DDK	pLenti-C-mGFP	
Vector SKU PS100064		PS100071	
Fusion Tag	C-terminal Myc-DDK	C-terminal mGFP	
Ideal For	In hard-to-transfect cells: Detection and purification of expressed protein	Tracking the over- expressed protein in transfected cells	

- 3rd Generation Lentiviral System
- Ideal for delivering DNA into hard-to-transfect cells and animal models
- Genome-wide coverage of human/mouse/rat ORF clones
- C-terminal Myc-DDK or mGFP tag

#### **Lenti Packaging Kit**

Lenti-vPAK (Cat# TR30037)

for generating lentivirus

Transfection reagent included!



# Lentiviral System: Lenti-ORF & Lenti-shRNA

Lenti-ORF Lenti shRNA plasmids plasmids **Particles Particles** 

High efficiency: Up to 100% transduction Broad spectrum: Dividing & non-dividing Biosafety: 3rd generation, safest


Genome wide offering Coverage:

Accessories: Packaging kit

**Control particles** 


LentiTiter Kit

#### Lenti-ORF clones, 4 vector options



More lentiviral destination vectors: https://www.origene.com/products/vectors/orf-cloning-vectors

#### Lenti shRNAs




#### Three major functional elements

- shRNA under U6 promoter
- Puro selection marker
- GFP as a reporter

## Highly effective Lenti-packaging kit Cat# TR30037

- Optimized for high efficiency
- Package 3<sup>rd</sup> generation vectors
- · Transfection reagent included



HEK293 cells transduced with lenti GFP virus

## One-Wash™ Lenti Titer kit Cat# TR30038

- Simplified workflow, 1 wash instead of 4
- One temperature incubation, no 37°C
- Shortened sample binding time, 2 hr vs O/N



# **RNA Interference with Guaranteed Knockdown**

#### HuSH-29 shRNA


## Comprehensive coverage of human, mouse & rat genes

- 29mer shRNA: higher potency, minimal interferon response
- Multiple vector selection: lentiviral or retroviral
- Guaranteed knockdown (≥70%)
- Lenti particles available
- Each kit contains 4 shRNAs + 1 scrambled control

We recommend the highly effective Lenti-vPAK (Cat# TR30037) for Lenti-shRNA packaging.







tGFP Knockdown using Lenti-shRNA

#### Trilencer-27 siRNA


#### For human, mouse and rat

- 27mer Dicer-substrate duplex-higher potency & minimal interferon response
- Guaranteed gene knockdown (≥70%)
- Cost effective
- Each kit contains 3 gene-specific siRNAs + 1 negative control



# siRNA Transfection Reagent: siTRAN 1.0

- Dual purpose reagent transfect both siRNA duplex and cDNA
- High transfection efficiency and low cytotoxicity
- Proven effective in multiple cell lines and primary cells



OriGene siRNAs achieved more than 70% knockdown of the expression of cathepsin D in AGS lymphocytes. Data retrieved from *Pulliero et al., 2013.* 


#### microRNA Tools

# From miRNA detection, quantification to target identification

Global miRNA	qPCR Master Mix	miRNA expression	miRNA expression plasmids	
profiling	qPCR Primer Panels	perturbation	Transfection reagents	
miRNA detection	miRNA primer pairs	miRNA target	3' UTR reporter clones	
& quantification	miRNA copy number standards	identification	Expression cDNA clones	



# **Real-time PCR & Lab Essentials**



# Molecular Tools for Your Day-to-Day Needs

# Transfection Reagents, Tailored for Your Unique Needs



#### Viromer<sup>®</sup> Virus-like polymer

- Formulated for hard-to-transfect cells
- Transfection Reagents
- other commonly used transfection reagents

#### siTran 1.0 For transfection of siRNA duplex

Successfully applied to many cell lines such as T-cell, lymphocytes and cancer cells

# PowerPrep<sup>®</sup> Plasmid Purification Kits


- High Yield... Low Endotoxins... No Syringes...
- New! Low cost shipping option, cheaper and solution-free!





## **Better Proteins, Better Assays**

Powered by our extensive collection of TrueORF human cDNA clones, OriGene offers full-length purified human proteins expressed in human cells. C-terminal Myc-DDK tagged human ORF clones are transfected into HEK293T cells. The total crude cell lysates are over-expression lysates with the specific gene over-expressed. Recombinant human proteins are obtained with anti-DDK antibody by affinity purification under native conditions.




#### **Features**

- Expressed in HEK293 cells
- Myc-DDK (FLAG®) tagged
- Optimal preservation of protein structure and post-translational modification


# **Benefits of Mammalian Expressed Proteins**

	Mammalian	Yeast	Insect Cells	E. coli
Protein folding and purification	Optimal	Poor	Low	Poor
Post-translational processing	Yes	Low	Low	No
Authenticity & Bioactivity	Native & Active	Poor	Poor	Very Poor
Time 9 Efforts required	Time-consuming	Low cost	High yield	Low cost &
Time & Efforts required	& Expensive			High yield

# **Bioactivity of Purified Proteins in Functional Assays**



Enzymatic activities of wild-type or mutant IDH1 proteins were determined by monitoring NADPH formation based on the absorbance at 345nm.



BRAF kinase activity was measured in an HTRF® assay.





## Better Antigens, Better Antibodies, Better Assays

## **Primary Antibodies**

- Monoclonal and polyclonal antibodies against targets of various pathways
- Money back guarantee for validated applications

#### **Feature Product**

# True MAB™

#### TrueMAB™ Mouse Monoclonal Antibody

- Generated against full-length human proteins produced in human cells
- Recognizes native epitopes
- Extensively validated for WB, IHC, IF/ICC, IP, Flow cytometry, ELISA and Luminex
- Available in bulk, carrier-free (BSA/glycerol-free) formulation and conjugates




A positive control for WB is available at nominal cost!

While overexpression lysate is available

# **Antibodies against Epitope Tags and Fluorescent Proteins**

Epitope tags: DDK (FLAG® tag), Myc, HA, His, GST, V5



OriGene's DDK (FLAG® tag) antibody (Cat# TA50011) is shown to be more sensitive than anti-FLAG M2 from vendor S.

A broad selection of antibodies against fluorescent proteins

Cyan	Green	Yellow	Orange	Red		Far Red	Photo- switchable
AmCyan	AcGFP1	mBanana	mOrange	AsRed2	mCherry	E2-Crimson	Dendra2
eCFP	eGFP	mYFP	mOrange2	DsRed-Express2	mRFP	mKate	PS-CFP2
mBFP	mGFP	tYFP		DsRed-Monomer	mStrawberry	mPlum	
mCFP	tGFP	ZsYellow1		DsRed2	tdTomato	mRaspberry	
	ZsGreen1			KillerRed	tRFP		

# **Other Antibody Products**

- Secondary antibodies
- Loading control antibodies: GAPDH, Actin, Tubulin, Hsp90
- Western blot reagents



Scan to watch our video on TrueMAB



# **Whole Product Solution for Anatomic Pathology**

## **Linking Genes and Proteins to Cancer Biology**



**Cancer Tissues** 



Over 140,000 human normal and cancer tissue samples

- FFPE & frozen tissue sections
- Online search available








# **UltraMAB** The only antibody tested for specificity

Non-specific antibodies would generate incorrect and false-positive diagnosis. OriGene developed a novel technology – the High-density Protein Microarray – to validate antibody specificity, and to ensure every UltraMAB monoclonal antibody is mono-specific to its target. More than 17,000 human proteins are included in the microarray, covering more than 80% of the human genome. UltraMAB is also validated extensively for its performance under clinical conditions.

Antibody specificity tested by High-Density Protein Microarray



Diagram of antibody specificity test with High-density Protein Microarray (results in duplicate)



IHC analysis of human breast carcinoma using HER2 antibody (Cat# UM500036)

#### **Selected UltraMAB Targets**

ALK, Beta-Catenin, BMP4, CD2, CD4, CD5, CD20, EGFR, EPCAM, ERCC1, ERG, FOXP1, GFAP, HE4, HER2, Ki67, KRT8, p53, PD1, PDL1, PECAM1, S100P, SERPINB4, SOX5, XPF, XRCC1





**Detection Systems** 

#### Polymer HRP and AP Detection Kits

- For human, mouse, rat and other tissues
- Multiple staining for human and other animal tissues

#### **IHC Accessory Products**

- Chromogen kits
- Antigen retrieval buffers
- IHC reagents and more

#### **Featured Product**

- Klear<sup>™</sup> Human-on-Human Kit: detect human primary antibody on human/primate tissue Cat# GB200002
- Klear™ Mouse-on-Mouse Kit: detect mouse primary antibody on mouse/rat tissue Cat# GB200006

Video on UltraMAB & Ab Specificity test



## Arrays, Sections, DNA, RNA & Proteins from Normal and Cancer Tissues

OriGene has developed comprehensive human cancer and normal tissue products from its biorepository of over 140,000 high quality human tissues.

Tissues collected from U.S. medical centers under strict ethical requirements and IRB protocols

#### TissueFocus™ Individual Products

- Tissue total RNA and genomic DNA: Samples were derived from our high quality frozen tissues after rigorous QC testing. Agilent Bioanalyzer 28S/18S ratio, Electropherogram, A260/A280 ratio and PCR images available upon request.
- **Tissue Protein Lysate:** Protein lysates were generated using a Modified RIPA buffer (no SDS) in the presence of protease and phosphatase inhibitors. Protein quantification is performed using the BCA Protein Assay.
- **Tissue Sections:** Frozen and FFPE tissue sections can be used for applications such as IHC, ISH, LCM and RNA/DNA/Protein extractions. Each section is freshly cut onto a SuperFrost positively charged glass slide, and offered as a set of 5 slides (each 5 micron thickness).


Tips! How to search for a specific tissue sample?

- Use **TissueFocus™** Search Tool on <a href="https://www.origene.com/products/tissues">https://www.origene.com/products/tissues</a> to get details including diagnosis, disease stage, race, gender, age, etc.
- Or, let our expert clinical data managers help you: tissue@origene.com



## TissueScan™ cDNA Array

qPCR gene expression results of hundreds of tissues in 2 hours



Researchers at Washington University School of Medicine discovered a new cancer biomarker LRP6 that could define a new subtype of breast cancer by using OriGene's TissueScan™ cDNA arrays.

TissueScan™ arrays have been cited in hundreds of publications



TissueScan Offerings				
Cancer Survey	96 samples / 8 cancer types			
Array	384 samples / 22 cancer types			
	Brain	Melanoma		
	Breast	Ovary		
Cancer	Colon	Pancreas		
Specific Array	Head & Neck	Prostate		
	Kidney	Sarcoma		
	Lymphoma	Thyroid		




New to TissueScan™? Scan to watch a video protocol!



# **Genome Editing with CRISPR/Cas9**


CRISPR/Cas9 is the cutting-edge RNA-guided genome editing tool, which is versatile, simple and affordable. Cas9 in complex with the guide RNA will lead to double-stranded break in a sequence specific manner. Genome editing can be achieved via repair mechanisms.





#### **CRISPR Products**

















#### All-In-One-Vector





pCas-Guide-EF1a-GFP was transfected into HEK293 cells. The fluorescence is GFP expression.

## Scheme of knockout / knockin kit



Scan to learn more about CRISPR/Cas9



# OriGene, Your Partner in Research, Diagnostics and Beyond

- CDNA Clones/Lenti Particles
- CRISPR/Cas9/sgRNA
- Recombinant Proteins
- Antibodies
- RNAi
- Normal & Cancer Tissues



OriGene Headquarter 9620 Medical Center Drive Suite 200 Rockville, MD, 20850 USA +1.301.340.3188 www.origene.com OriGene EU Schillerstraße 5 32052 Herford Germany +49.5221.346060 www.origene.com OriGene China HuiLongSen In

HuiLongSen International Science & Technology Industry Park, Build 11, No.99 Kechuang 14th Street Beijing, China 101111 +86.10.59755312 www.origene.com.cn