

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **Product datasheet for 73-243**

## Pex5l (constant) Mouse Monoclonal Antibody [Clone ID: N212/7]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: N212/7

**Applications:** IF, IHC, WB

**Recommend Dilution:** Immunoblot (IB)

Immunohistochemistry (IHC)
Immunocytochemistry (ICC)

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Fusion protein amino acids 1-192 (exon 1a, exon 4 and constant region) of rat TRIP8b (also

known as TPR-containing Rab8b-interacting protein, Peroxisome biogenesis factor 5-like,

Peroxin5- or PEX5-related/like protein, Pex5Rp, Pex5l, Pex5r, Pex2, Pxr2, accession

number Q925N3).

Mouse: 97% identity (147/151 amino acids identical). Human: 83% identity (180/216 amino acids identical).

**Specificity:** Cross-reacts with multiple TRIP8b isoforms

Formulation: State: Supernatant

**Gene Name:** peroxisomal biogenesis factor 5-like

Database Link: Entrez Gene 286937 Rat

**Synonyms:** PEX5-related protein, PEX2-related protein, PEX5-like protein, Peroxin-5-related protein,

Pex5Rp, PEX5R, PXR2, TRIP8b




Note:

USERS will cite the UC Davis/NIH NeuroMab Facility in any publication(s) describing the research utilizing the MATERIALS. The suggested acknowledgment statement is as follows: "The monoclonal antibody \_ was developed by and/or obtained from the UC Davis/NIH NeuroMab Facility, supported by NIH grant U24NS050606 and maintained by the Department of Neurobiology, Physiology and Behavior, College of Biological Sciences, University of California, Davis, CA 95616."


Also, please include the complete clone number (e.g., N52A/42) and the Antibody Registry identification number (e.g., RRID:AB\_2120479) to avoid ambiguity.

View Research License Agreement

## **Product images:**




Adult rat hippocampus immunohistochemistry



Transfected cell immunoblot: extracts of COS cells transiently transfected with GFP-tagged TRIP8b-1a-4, TRIP8b-1b-2, TRIP8b-1a-2 or untagged Kv2.1 plasmid and probed with N212/7 (left) or N86/8 (right) TC supe.





Immunoblot versus crude membranes from adult rat brain (RBM) and WT and TRIP8b KO mouse brains probed with N212/7 (left) and N52A/42 (right) TC supe. Mouse brains courtesy of Dane Chetkovich (Northwestern University).