

## **Product datasheet for AM00518PU-S**

## Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

## **CD1B Mouse Monoclonal Antibody [Clone ID: 100-1A5]**

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: 100-1A5
Applications: IF, IHC

Recommended Dilution: Flow Cytometry (1).

Immunofluorescence.

**Immunohistochemistry on Frozen Sections** 

Positive Control: Human lymphocytes.

Reactivity: Human
Host: Mouse
Isotype: IgM

Clonality: Monoclonal

Immunogen: Stimulated Human leucocytes.

Splenocytes were fused with mouse myeloma NS1 cells.

**Specificity:** 100-1A5 binds with CD1b which is a 45 kD membrane glycoprotein expressed together with

beta-2 Microglobulin.

This antibody reacts with cortical thymocytes, Langerhans cells interdigitating cells and with

pyramidal cells in the brain. It can be applied for characterization of leukemia's and

lymphomas.

Cellular Localization: Cell membrane and cytoplasm.

Formulation: PBS

State: Purified

State: Liquid purified Ig fraction Preservative: 0.05% Sodium Azide

**Concentration:** lot specific

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C

**Stability:** Shelf life: One year from despatch.

Predicted Protein Size: 45 kDa





## CD1B Mouse Monoclonal Antibody [Clone ID: 100-1A5] - AM00518PU-S

Database Link: Entrez Gene 910 Human

P29016

**Background:** CD1b which is associated with β2 microglobulin (1) is expressed on cortical thymocytes

(moderate), Langerhans cells, interdigitating cells and brain pyramidal cells (1). It is upregulated in peripheral neuropathy and inflammatory diseases (2,3). CD1b is the member of CD1 family. At least five CD1 genes (CD1a, b, c, d, and e) are identified (1). Unlike other members in CD1 family which have multiple splicing patterns, CD1b only revealed a single membrane RNA product (1). CD1 proteins including CD1b have been demonstrated to restrict T-cell response to non-peptide lipid and glycolipid antigens and play a role in non-classical

antigen presentation (4)

**Synonyms:** CD1; CD1A; MGC125990; MGC125991; R1