

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for AM00892PU-N

Herpes Simplex Virus 2 / HSV2 Glycoprotein D Mouse Monoclonal Antibody [Clone ID: HSVA33]

Product data:

Product Type:	Primary Antibodies
Clone Name:	HSVA33
Applications:	ELISA, WB
Recommended Dilution:	ELISA. Western Blot.
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Purified Herpes Simplex Virus from strain BH. Hybridization of Sp2/0 myeloma cells with spleen cells from Balb/c mice.
Specificity:	This antibody reacts to Herpes simplex virus (HSV), type 2. Reacts with 56-64kD band corresponding to glycoprotein D band in immunoblotting of purified HSV under reduced conditions and with 120-140kD band in immunoblotting of HSV-infected Vero cell lysates under non-reduced conditions.
Formulation:	PBS, pH 7.4 containing 0,09% sodium azide State: Purified State: Liquid purified IgG
Concentration:	lot specific
Purification:	>95% pure. Protein G Sepharose chromatography. Purity is tested by electrophoresis.
Conjugation:	Unconjugated
Storage:	Store the antibody undiluted at 2-8°C. DO NOT FREEZE!
Stability:	Shelf life: one year from despatch.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Herpes Simplex Virus 2 / HSV2 Glycoprotein D Mouse Monoclonal Antibody [Clone ID: HSVA33] – AM00892PU-N
Background:	Herpes simplex type 2 (HSV2) belongs to a family that includes HSV1, Epstein-Barr virus (EBV) and Varicella zoster (chicken pox) virus. HSV1 and HSV2 are extremely difficult to distinguish from each other. These viruses have a DNA genome, an icosahedral protein coat and are encased in a lipid membrane derived from the nuclear membrane of the last host. These viruses are capable of entering a latent phase where the host shows no visible sign of infection and levels of infectious agent become very low. During the latent phase the viral DNA is integrated into the genome of the host cell.
Synonyms:	HHV2

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US