

## Product datasheet for AM00906PU-N

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## hCG beta (CGB3) Mouse Monoclonal Antibody [Clone ID: 057-10025]

**Product data:** 

**Product Type:** Primary Antibodies

**Clone Name:** 057-10025

**Applications:** ELISA

**Recommended Dilution: ELISA:** Use this Antibody as a Capture Antibody and AM00907PU-N as a Detection Antibody.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** hCG isolated from Human pregnancy urine

**Specificity:** This antibody is specific for intact hCG and its beta subunit. Does not cross react with hCG

alpha subunit.

Formulation: 10mM Phosphate, pH 7.4 containing 150mM Sodium Chloride and 0,09% sodium azide

State: Purified

State: Liquid purified Ig (0.2µm filtered)

**Concentration:** lot specific

Stability:

**Purification:** >90% pure (SDS-PAGE). Protein A chromatography

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one week or (in aliquots) at -40°C for longer.

If aliquoted for long term storage, fill volume should be equal to or greater than 50% of the

nominal fill volume of the vial used. Avoid repeated freezing and thawing. Shelf life: one year from despatch.

**Gene Name:** chorionic gonadotropin beta subunit 3

**Database Link:** Entrez Gene 1082 Human

P0DN86





## hCG beta (CGB3) Mouse Monoclonal Antibody [Clone ID: 057-10025] - AM00906PU-N

Background:

Human chorionic gonadotropin (hCG) is a glycoprotein hormone produced by trophoblastic cells of the placenta beginning 10 to 12 days after conception. Maintenance of the fetus in the first trimester of pregnancy requires the production of hCG, which binds to the corpus luteum of the ovary which is stimulated to produce progesterone which in turn maintains the secretory endometrium. The unique beta chain confers biological specificity to thyrotropin, lutropin, follitropin and gonadotropin. hCG acts to maintain the corpus luteum until the developing placenta is able to produce the required levels of oestrogen and progesterone.

Synonyms:

Choriogonadotropin subunit beta, CGB, CGB3, beta hCG, hCG-beta