

## **Product datasheet for AM01307PU-N**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **CLEC10A Rat Monoclonal Antibody [Clone ID: ER-MP23]**

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: ER-MP23
Applications: FC, IHC

Recommended Dilution: Immunohistochemistry on Frozen Sections.

**Flow Cytometry:** Use 10  $\mu$ l of 1/100-1/200 diluted antibody to label 10e6 cells in 100  $\mu$ l.

Reactivity: Mouse Host: Rat

**Isotype:** IgG2a

Clonality: Monoclonal

**Immunogen:** Balb/c macrophage precursor cell hybrids.

Cells from immunised rats were fused with cells of the rat Y3-Ag1.2.3 myeloma cell line.

**Specificity:** This antibody recognizes murine CD301, a 38 kD cell surface protein that is otherwise known

as macrophage galactose N-acetylgalactosamine lectin (MGL) or dendritic cell

asialoglycoprotein (DC-ASGPR).

Clone ER-MP23 is reported to block the function of mouse CD301. The antibody binds both

MGL1 and MGL2 homologues.

**Formulation:** PBS, pH 7.4 containing 0.09% Sodium Azide as preservative

State: Purified

State: Liquid purified Ig fraction

**Concentration:** lot specific

**Purification:** Affinity Chromatography on Protein G

Conjugation: Unconjugated

**Storage:** Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Gene Name:** C-type lectin domain family 10 member A

Database Link: Q8IUN9





## CLEC10A Rat Monoclonal Antibody [Clone ID: ER-MP23] - AM01307PU-N

**Background:** In mice, CD301 is predominantly expressed on mature macrophages found associated with a

wide range of connective tissues including macrophages in the dermis and the pancreas. Clone ER-MP23 also detects a population of dendritic cells in lymphoid tissue, which are probably recent immigrants from peripheral connective tissue sites. Expression of CD301 is induced by alternative (i.e. IL-4/IL-13 mediated) activation of macrophages and dendritic cells,

but not all CD301 positive cells are necessarily IL-4/IL-13 stimulated.

Synonyms: CLECSF13, CLECSF14, HML