

Product datasheet for AM03032FC-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD24 Mouse Monoclonal Antibody [Clone ID: SN3]

Product data:

Product Type: Primary Antibodies

Clone Name: SN3
Applications: FC

Recommended Dilution: Flow Cytometry (human blood cells using 20 ?I reagent / 100 ?I of whole blood or 16 cells in

a suspension. The content of a vial (2 ml) is sufficient for 100 tests).

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Glycoproteins purified from human NALM-1 cell line

Specificity: The antibody SN3 reacts with CD24, a 35-45 kDa heavily glycosylated cell surface antigen.

CD24 is expressed by granulocytes, B lymphocytes and by some activated T cells and T cell

malignancies. It is not expressed on human thymocytes.

Formulation: Phosphate buffered saline (PBS) containing 15 mM Sodium Azide

Label: FITC

State: Liquid purified Ig fraction

Label: Conjugated with Fluorescein isothiocyanate (FITC) under optimum conditions. The

reagent is free of unconjugated FITC and adjusted for direct use.

Conjugation: FITC

Storage: Store the antibody at 2-8°C.

DO NOT FREEZE!

This product is photosensitive and should be protected from light.

Stability: Shelf life: one year from despatch.

Gene Name: CD24 molecule

Database Link: Entrez Gene 100133941 Human

P25063






Background:


CD24, also known as heat-stable antigen (HSA) or nectadorin, is a small mucin-like GPI-anchored extracellular membrane glycoprotein expressed on several cell types, including B cells. When B cells are activated and induced to further maturation, however, CD24 begins to disappear. CD24 seems to act as a gate-keeper for lipid rafts, thereby regulating the activity of integrins and other proteins such as the chemokine receptor CXCR4; it is also a ligand for P-selectin. CD24 triggering induces apoptosis of B cell precursors but not in mature resting B cells, where it instead inhibits their ability to proliferate in response to activation. CD24 expression is associated with invasiveness and poorer prognosis of carcinomas and is a marker of exosomes secreted into urine and amniotic fluid.

Synonyms: X62 heat stable antigen, HSA

Product images:





Surface staining of human peripheral blood cells with anti-human CD24 (SN3) purified, GAM-APC.




Surface staining of human peripheral blood cells with anti-human CD24 (SN3) APC-Cy7.









Surface staining of human peripheral blood cells with anti-CD24 (SN3) Alexa Fluor® 700.