

# Product datasheet for AM05592PU-L

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Siglec 7 (SIGLEC7) Mouse Monoclonal Antibody [Clone ID: 5-386]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: 5-386
Applications: FC, IHC

Recommended Dilution: Flow Cytometry: 1/100-1/200.

Immunohistochemistry on Frozen Sections: 1/100.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Monocyte-derived dendritic cells.

**Specificity:** This antibody is specific for CDw328.

**Formulation:** PBS, pH 7.4

State: Purified

State: Liquid purified IgG fraction from tissue culture supernatant

Preservative: 0.09% Sodium Azide

**Concentration:** lot specific

**Purification:** Affinity Chromatography on Protein G

**Conjugation:** Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: sialic acid binding Ig like lectin 7

Database Link: Entrez Gene 27036 Human

Q9Y286





#### Siglec 7 (SIGLEC7) Mouse Monoclonal Antibody [Clone ID: 5-386] - AM05592PU-L

Background:

CDw328 is a type I transmembrane glycoprotein and member of the Siglec (sialic acid binding Ig-like lectin) family, designated Siglec-7, originally identified as an inhibitory NK cell receptor (NKR) and negative regulator of NK activation, attributed to ITIM recruitment of SHP-1 phosphatase.

CDw328 is expressed predominantly by natural killer cells (NK) and to a lesser extent by monocytes and granulocytes and, like Siglec-5 (CD170), has been shown to bind to sialylated ligands of targets through recognition of sialic acid in both the alpha-2,3- and alpha-2,6-

glycosidic linkage.

Synonyms:

Siglec-7, QA79 membrane protein, p75, D-siglec, CDw328, AIRM1