

Product datasheet for AM06154SU-N

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

IKK beta (IKBKB) Mouse Monoclonal Antibody [Clone ID: 10A2]

Product data:

Product Type: Primary Antibodies

Clone Name: 10A2

Applications: ELISA, WB

Recommended Dilution: ELISA: 1/10000.

Western Blot: 1/500 - 1/2000.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Purified recombinant fragment of IKBKB expressed in E. Coli.

Specificity: Recognizes IKBKB / IKKB

Formulation: State: Ascites

State: Ascitic fluid containing 0.03% Sodium Azide.

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 43 kDa

Gene Name: inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase beta

Database Link: Entrez Gene 3551 Human

O14920




Background:

IKBKB (Inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase beta, also called IKK2/IKKB), is a member of the IKK complex which is composed of IKK-alpha, IKK-beta, IKK-gamma and IKAP. Phosphorylation of I-Kappa-B on a serine residue by the IKK complex frees NF-kB from I-Kappa-B and marks it for degradation via ubiquination. IKK-beta has been shown to activate NF-kB and phosphorylate IKB-alpha and beta. Phosphorylation of 2 sites at the activation loop of IKK-beta is essential for activation of IKK by TNF and IL1. Once activated, IKK-beta autophosphorylates which in turn decreases IKK activity and prevents prolonged activation of the inflammatory response. Additionally, IKK-beta activity can also be regulated by MEKK-1.

Synonyms:

I-kappa-B-kinase beta, IKK-beta, IKK-B, I-kappa-B kinase 2, IKK2, NFKBIKB

Product images:



Western blot analysis using IKBKB antibody Cat.-No AM06154SU-N against truncated IKBKB recombinant protein (Lane 1) and K562 cell lysate (Lane 2).