

# **Product datasheet for AM06158PU-N**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Apolipoprotein M (APOM) Mouse Monoclonal Antibody [Clone ID: 10C3G5]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: 10C3G5
Applications: IF, WB

Recommended Dilution: ELISA: 1/10000.

Western Blot: 1/500 - 1/2000.

**Immunohistochemistry on Paraffin Sections:** 1/200 - 1/1000.

Reactivity: Human
Host: Mouse
Isotype: IgG2a

Clonality: Monoclonal

**Immunogen:** Purified recombinant fragment of ApoM expressed in E. Coli.

**Specificity:** Recognizes ApoM (Apolipoprotein M).

Formulation: PBS

State: Purified

State: Liquid purified IgG fraction Preservative: 0.03% Sodium Azide

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Predicted Protein Size:** 21 kDa

Database Link: Entrez Gene 55937 Human

<u>095445</u>






### Background:

ApoM (Apolipoprotein M, also designated G3a or NG20), with 188-amino acid protein(about 21kDa), is an apolipoprotein and member of the lipocalin protein family. The Apo-proteins are involved in the specific binding of cellular receptors, the regulation of lipolytic enzymes, and the process of lipid exchange. The encoded protein is secreted through the plasma membrane but remains membrane-bound, where it is involved in lipid transport. The N-terminal region of Apo-M contains hydrophobic residues that may promote association with the phospholipid layer of lipoprotein particles. In vitro, Apo-M is glycosylated when translated in the presence of microsomes, and remains associated with the microsomes after carbonate treatment. Apo-M is expressed in liver and kidney, and is secreted into the bloodstream in HDLs, and also found in triglyceride-rich lipoproteins and LDLs.


Synonyms:


Apo-M, ApoM, Protein G3A, NG20, HSPC336

### **Product images:**



Western blot analysis using ApoM antibody Cat.-No AM06158PU-N against GST-ApoM recombinant protein (1) and human serum (2).





Immunofluorescence analysis of methanol-fixed L-02 (left) and Cos7 (right) cells using ApoM antibody Cat.-No AM06158PU-N showing cytoplasmic and membrane localization.