

Product datasheet for AM06569SU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CEACAM5 Mouse Monoclonal Antibody [Clone ID: 1C7]

Product data:

Product Type: Primary Antibodies

Clone Name: 1C7

Applications: ELISA, IHC, WB **Recommended Dilution: ELISA:** 1/10000.

Western Blot: 1/500 - 1/2000.

Immunohistochemistry on Paraffin Sections: 1/200 - 1/1000.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Purified recombinant fragment of Human CEA expressed in E. Coli.

Specificity: Recognizes CEA (CD66e/CEACAM5).

Formulation: State: Ascites

State: Ascitic fluid containing 0.03% Sodium Azide.

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 77 kDa

Gene Name: carcinoembryonic antigen related cell adhesion molecule 5

Database Link: Entrez Gene 1048 Human

P06731






Background:

Carcino Embryonic Antigen (CEA) is synthesised during development in the fetal gut, and is re-expressed in increased amounts in intestinal carcinomas and several other tumors. Antibodies to CEA are useful in identifying the origin of various metastatic adenocarcinomas and in distinguishing pulmonary adenocarcinomas (60 to 70% are CEA+) from pleural mesotheliomas (rarely or weakly CEA+). The carcinoembryonic antigen (CEA) is a member of a large family of glycoproteins and a useful tumor marker for adenocarcinoma. Tissue specificity: Found in adenocarcinomas of endodermally derived digestive system epithelium and fetal colon.


Synonyms:

CEA, Carcinoembryonic antigen


Product images:




Western blot analysis using CEA antibody Cat.-No AM06569SU-N against HEK293 (1) and CEA (AA: 460-600)-hlgGFc transfected HEK293 (2) cell lysate.









Immunohistochemical analysis of paraffinembedded rectum cancer tissues (left) and stomach cancer tissues (right) using CEA antibody Cat.-No AM06569SU-N with DAB staining.