

Product datasheet for AM08026BT-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cd3e Rat Monoclonal Antibody [Clone ID: C363.29B (YCD3-1)]

Product data:

Product Type: Primary Antibodies
Clone Name: C363.29B (YCD3-1)
Applications: FC, FN, IHC, IP

Recommended Dilution: Flow Cytometry: Identification and enumeration of CD3+ cells (< / = 3 µg/10e6 cells). (Ref.1-

2)

Immunoprecipitation. (Ref.1)

Functional Assay:

In vitro Depletion of CD3+ cells. (Ref.1)

In vitro Activation of T cells (accessory cells must be provided). (Ref.1,3,4)

Immunohistochemistry. (Ref.5)

Reactivity: Mouse
Host: Rat
Isotype: IgG2b

Clonality: Monoclonal

Specificity: This antibody is specific to CD3e (Mr. 25 kD).

The monoclonal antibody C363.29B recognizes an epitope on the 25kD epsilon chain of the CD3/TCR complex. (Ref.1) In the presence of Fc receptor-bearing accessory cells, soluble

C363.29B can activate primed and naïve T cell in vitro.

Immobilized C363.29 monoclonal antibody can also activate both normal T lymphocytes and cloned T cell lines provided the appropriate accessory signals are present. (Ref.1,3,4) The

monoclonal antibody is cytolytic, easily used for cell surface staining and a good

immunoprecipitating antibody. (Ref.1)

Formulation: PBS containing 0.09% Sodium Azide as preservative.

Label: Biotin

State: Liquid purified Ig fraction.

Concentration: lot specific
Conjugation: Biotin

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.





Cd3e Rat Monoclonal Antibody [Clone ID: C363.29B (YCD3-1)] - AM08026BT-N

Stability:Shelf life: one year from despatch.Gene Name:CD3 antigen, epsilon polypeptide

Database Link: Entrez Gene 12501 Mouse

P22646

Background: CD3e, a member of the immunoglobulin superfamily of cell surface receptors, is comprised of

five invariable chain ranging in size from 16-28 kDa and is closely associated with the T cell

antigen receptor (TCR). It is expressed on all T cells of all mouse strains. (Ref.1,2)

CD3 plays a major role in signaling during antigen recognition, leading to T-cell activation.

Synonyms: T3/Leu-4