

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for AM08026LE-N

Cd3e Rat Monoclonal Antibody [Clone ID: C363.29B (YCD3-1)]

Product data:

Product Type:	Primary Antibodies
Clone Name:	C363.29B (YCD3-1)
Applications:	FC, FN
Recommended Dilution:	Flow Cytometry: Identification and enumeration of CD3+. (Ref.1,2). Functional Assay: <i>In vitro</i> Depletion of CD3+ cells. (Ref.1) <i>In vitro</i> Activation of T cells (accessory cells must be provided). (Ref.1,3,4)
Reactivity:	Mouse
Host:	Rat
lsotype:	lgG2b
Clonality:	Monoclonal
Specificity:	This Low Endotoxin/Azide free antibody is specific to CD3e (Mr. 25 kD). The monoclonal antibody C363.29B recognizes an epitope on the 25kD epsilon chain of the CD3/TCR complex. (Ref.1) In the presence of Fc receptor-bearing accessory cells, soluble C363.29B can activate primed and naïve T cell in vitro. Immobilized C363.29 monoclonal antibody can also activate both normal T lymphocytes and cloned T cell lines provided the appropriate accessory signals are present. (Ref.1,3,4) The monoclonal antibody is cytolytic, easily used for cell surface staining and a good immunoprecipitating antibody. (Ref.1)
Formulation:	PBS without preservatives. State: Low Endotoxin State: Liquid purified Ig fraction.
Concentration:	lot specific
Conjugation:	Unconjugated
Storage:	Store the antibody (in aliquots) at -20°C. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	CD3 antigen, epsilon polypeptide



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Cd3e Rat Monoclonal Antibody [Clone ID: C363.29B (YCD3-1)] – AM08026LE-N
Database Link:	Entrez Gene 12501 Mouse P22646
Background:	CD3e, a member of the immunoglobulin superfamily of cell surface receptors, is comprised of five invariable chain ranging in size from 16-28 kDa and is closely associated with the T cell antigen receptor (TCR). It is expressed on all T cells of all mouse strains. (Ref.1,2) CD3 plays a major role in signaling during antigen recognition, leading to T-cell activation.
Synonyms:	T3/Leu-4

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US