

## Product datasheet for **AM08080LE-N**

### H2-D1 Mouse Monoclonal Antibody [Clone ID: 28-14-8]

#### Product data:

Product Type:	Primary Antibodies
Clone Name:	28-14-8
Applications:	FC
Recommended Dilution:	<b>Flow Cytometry:</b> < / = 1 µg/10e6 cells. <b>Immunohistochemistry on Frozen Tissue Sections.</b> <b>Complement-mediated cytotoxicity.</b>
Reactivity:	Mouse
Host:	Mouse
Isotype:	IgG2a
Clonality:	Monoclonal
Immunogen:	C3H.SW mouse splenocytes. (Ref.1,2)
Specificity:	This antibody is specific to an epitope in the alpha 3 domain of H-2Db. It binds to the alpha 3 domain of H-2Db in the presence or absence of beta 2 microglobulin. (Ref.7,8) It cross reacts with the alpha 3 domain of H-2Ld, but not Kd or Dd, and with H-2Dq and/or Lq. The antibody has been shown to block H-2Ld-specific and H-2Ld-restricted antigen-specific lysis of target cells by cytotoxic T lymphocytes, (Ref.9-11) but it does not block recognition of H-2Ld-positive target cells by Ly-6G2-positive NK cells. (Ref.12). Customer feedback: Clone 28-14-8 does not cross-react with human cells.
Formulation:	PBS without preservatives. State: Low Endotoxin State: Liquid purified Ig fraction.
Concentration:	lot specific
Conjugation:	Unconjugated
Storage:	Store the antibody undiluted (in aliquots) at -20°C. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	histocompatibility 2, D region locus 1



[View online »](#)

**Database Link:** [Entrez Gene 14964 Mouse P01899](#)

**Background:** The 'classical' MHC Class I molecules are histocompatibility antigens encoded by the H-2 gene complex and consist of heterodimers of highly polymorphic alpha chains noncovalently associated with the invariant beta 2-Microglobulin. (Ref.3,4) These antigens are expressed on most nucleated cells but expression varies on different cell types. MHC Class I molecules present endogenously synthesized peptides to CD8+ T lymphocytes, which are usually cytotoxic T cells. (Ref.5)

**Synonyms:** H-2D(B), H2-D1