

# Product datasheet for AM08170PU-N

# LAMP2 Mouse Monoclonal Antibody [Clone ID: H4B4]

# **Product data:**

#### **Product Type: Primary Antibodies Clone Name:** H4B4 FC, IHC, WB **Applications:** Recommended Dilution: Western Blot: 2 µg/ml. **Flow Cytometry:** $\leq 1 \ \mu g/10^6 \text{ cells.}$ Immunohistochemistry (Acetone-Fixed, Frozen Tissue Sections). Immunohistochemistry on Paraffin Sections. **Reactivity:** Human Host: Mouse Isotype: lgG1 **Clonality:** Monoclonal Immunogen: Human adherent peripheral blood cells Specificity: This antibody recognizes Human CD107b/LAMP-2. Other species not tested. Formulation: 100 mM Borate Buffered Saline, pH 8.2 without preservatives. State: Purified State: Liquid purified lg fraction. **Concentration:** lot specific **Conjugation:** Unconjugated Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Storage: Avoid repeated freezing and thawing. Stability: Shelf life: one year from despatch. Gene Name: lysosomal associated membrane protein 2 Database Link: Entrez Gene 3920 Human P13473



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### CRIGENE LAMP2 Mouse Monoclonal Antibody [Clone ID: H4B4] – AM08170PU-N

Background:CD107b, also known as lysosomal-associated membrane protein 2 (LAMP-2), is a heavily<br/>glycosylated, type I transmembrane protein that constitutes the major sialoglycoproteins on<br/>lysosomal membranes. It is a ligand for galaptin, an S-type lectin present in extracellular<br/>matrix, through its recognition of acetyllactosamine oligosaccharide chains, and is a ligand for<br/>E-selectin-mediated cell adhesion.<br/>CD107b is expressed by granulocytes, T cells, macrophages, dendritic cells, activated platelets<br/>tonsillar epithelium and some tumor cell lines, including U937 and KG1a. It is also a widely<br/>expressed intracellular antigen. LAMP-2 may function in protecting the inner surface of the<br/>lysosomal membrane by forming a barrier to lysosomal hydrolases. The upregulation of both<br/>CD107a and CD107b on the surface of tumor cell lines has been associated with their<br/>enhanced metastatic potential, where they may increase adhesion to extracellular matrix and<br/>endothelium. (Ref.1-7)

Synonyms: LAMP-2, LAMP-2C, LAMPB

## **Product images:**



Western Blot analysis using CD107b / LAMP2 Antibody Cat.-No AM08170PU-N (Clone H4B4) at 2 ug/ml in 1 mg/ml lysate, HeLa 10 ug (Lane 1+2), Raw 20ug (Lane 3+4) lysate, blocking buffer (Blotto; 5% dry milk powder in TBST). [R1253HRP] anti-Mouse IgG (H+L)-HRP as secondary antibody.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US