

Product datasheet for AM08199PU-N

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

MMP3 Mouse Monoclonal Antibody [Clone ID: SB14d]

Product data:

Product Type: Primary Antibodies

Clone Name: SB14d

Applications: ELISA, IHC

Recommended Dilution: ELISA: 1/3,000-1/8,000.

Immunohistochemistry (Frozen/Paraffin): < / = 2 µg/ml.

Reactivity: Human
Host: Mouse
Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Recombinant MMP-3.

Specificity: This antibody is specific for Human MMP-3.

Does not cross react to Human MMP-1, MMP-2 or MMP-9.

Formulation: 100 mM Borate buffered saline, pH 8.2.

No preservatives or amine-containing buffer salts added.

State: Purified

State: Liquid purified Ig fraction.

Concentration: lot specific

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: matrix metallopeptidase 3

Database Link: Entrez Gene 4314 Human

P08254





Background:


Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMP's are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases.

MMP3 is an enzyme which degrades fibronectin, laminin, collagens III, IV, IX, and X, and cartilage proteoglycans. The enzyme is thought to be involved in wound repair, progression of atherosclerosis, and tumor initiation. MMP3 is reported to be implicated in rheumatoid arthritis and some forms of cancer.

Synonyms:

Stromelysin-1, SL-1, Matrix metalloproteinase-3, Transin-1, MMP3, STMY1

Product images:



Immunohistochemistry (Paraffin-Embedded Sections): Human colon carcinoma tissue stained with at 5 ug/ml.