

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for AM08431PU-N

# Rhodamine Mouse Monoclonal Antibody [Clone ID: 11H10]

## **Product data:**

Product Type:	Primary Antibodies
Clone Name:	11H10
Applications:	ELISA, IHC, WB
Recommended Dilution:	ELISA: 1/30,000. Western blot: 1/1,000-1:10,000. Immunohistochemistry: 1/1,000-1/10,000.
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Anti-RHODAMINE Monoclonal Antibody was produced after repeated immunizations of balb/c mice with rhodamine conjugated KLH.
Specificity:	This antibody reacts specifically with Rhodamine and its derivatives. Rhodamine isomer 5 and isomer 6 are reactive as TAMRA, as well as TRITC conjugated proteins. No reaction is observed against Texas Red.
Formulation:	0.02M Potassium Phosphate, 0.15M Sodium Chloride, pH 7.2 as buffer and 0.01% (w/v) Sodium Azide as preservative. State: Purified State: Liquid (sterile filtered) purified lg fraction
Concentration:	lot specific
Purification:	Protein A Chromatography.
Conjugation:	Unconjugated
Storage:	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C or below for longer. Avoid repeated freezing and thawing. Should this product contain a precipitate we recommend microcentrifugation before use.
Stability:	Shelf life: one year from despatch.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US





#### Background:

RHODAMINE Monoclonal Antibody specifically detect dyes in the Rhodamine family. Rhodamine is a family member of the fluorone dyes. Examples are Rhodamine 6G and Rhodamine B. They are often used as a tracer dye within water to determine the rate and direction of flow and transport. Rhodamine dyes fluoresce and can thus be detected easily and inexpensively with instruments called fluorometers. Rhodamine dyes are used extensively in biotechnology applications such as fluorescence microscopy, flow cytometry, fluorescence correlation spectroscopy and ELISA.

#### Synonyms: Tetramethyl Rhodamine Isothiocyanate, TRITC, TAMRA

### **Product images:**





Left: tetramethylrhodamine-5- (and-6)isothiocyanate (5 (6)-TRITC). Right: 5- (and-6)-Carboxytetramethylrhodamine (5 (6)-TAMRA).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US