

Product datasheet for AM09041PU-S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Visfatin (NAMPT) Mouse Monoclonal Antibody [Clone ID: 4D5]

Product data:

Product Type: Primary Antibodies

Clone Name: 4D5

Applications: ELISA, IF, IHC, WB

Recommended Dilution: ELISA.

Western blot: 1/1,000-1/2,000.

This Monoclonal antibody has been reported to work in Immunohistochemistry on

Paraffin Sections. Immunofluorescence.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Recombinant human Visfatin (1-491 aa) purified from E. coli

Specificity: The antibody recognizes Human Visfatin (pre-B cell colony-enhancing factor 1).

Other species not tested.

Formulation: PBS, pH 7.4 containing 0.02% Sodium Azide and 10% Glycerol

State: Purified

State: Liquid purified Ig fraction

Concentration: lot specific

Purification: Protein-G affinity chromatography

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for up to two weeks or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: nicotinamide phosphoribosyltransferase

Database Link: Entrez Gene 10135 Human

P43490





Visfatin (NAMPT) Mouse Monoclonal Antibody [Clone ID: 4D5] - AM09041PU-S


Background: Visfatin is pre-B cell colony-enhancing factor 1 (PBEF), which is predominantly secreted from

visceral adipose tissue both in humans and mice. This protein has also been reported to be a cytokine (PBEF) that promotes B cell maturation and inhibits neutrophil apoptosis, or a

visceral-fat derived hormone that acts by binding and activating the insulin receptor.

Synonyms: NAmPRTase, PBEF, PBEF1

Product images:



Western blot analysis: Cell lysates of 293T (30 ug) were resolved by SDS-PAGE, transferred to NC membrane and probed with anti-human Visfatin (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.