

# Product datasheet for AM09092PU-N

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com

OriGene Technologies, Inc.

https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **CRABP1 Mouse Monoclonal Antibody [Clone ID: AT1A1]**

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: AT1A1

**Applications:** ELISA, IHC, WB

Recommended Dilution: ELISA.

Western blot: 1/500-1/1,000.

Immunohistochemistry on Paraffin Sections: 5 µg/ml.

Reactivity: Human, Mouse

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Recombinant Human CRABP1 (1-137 aa) purified from E. coli

**Specificity:** The antibody recognizes Human and Mouse CRABP1. Other species not tested.

**Formulation:** PBS, pH 7.4 containing 0.02% Sodium Azide and 10% Glycerol

State: Purified

State: Liquid purified IgG fraction

**Concentration:** lot specific

**Purification:** Affinity Chromatography on Protein G

**Conjugation:** Unconjugated

Storage: Store undiluted at 2-8°C for up to two weeks or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Gene Name:** cellular retinoic acid binding protein 1

Database Link: Entrez Gene 12903 MouseEntrez Gene 1381 Human

P29762






### Background:


CRABP1 (cellular retinoic acid-binding protein 1) is a member of specific carrier proteins for members of the vitamin A family. CRABP1 is assumed to play an important role in retinoic acid-mediated differentiation and proliferation processes. CRABP1 is structurally similar to the cellular retinol-binding proteins, but binds only retinoic acid. It is constitutively expressed and is believed to have different functions in the cell than the related CRABP2. Interestingly, Sytenol A bakuchiol has very specific receptor specificity over retinol and has no effect on the RAR-beta and RAR-gamma receptors and down-regulates CRABP1.

Synonyms: CRABP-I, RBP5

### **Product images:**




Western blot analysis: The extracts of mouse eye (30 ug) were resolved by SDS-PAGE, transferred to NC membrane and probed with anti-human CRABP1 antibody (1/500). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.




Immunohistochemistry: CRABP1 antibody staining of Formalin-Fixed, Paraffin-Embedded Human Skeletal Muscle followed by biotinylated secondary antibody, alkaline phosphatase-streptavidin and chromogen.





Immunohistochemistry: CRABP1 antibody staining of Formalin-Fixed, Paraffin-Embedded Human Prostate followed by biotinylated secondary antibody, alkaline phosphatase-streptavidin and chromogen.



Immunohistochemistry: CRABP1 antibody staining of Formalin-Fixed, Paraffin-Embedded Human Thyroid followed by biotinylated secondary antibody, alkaline phosphatase-streptavidin and chromogen.