

Product datasheet for AM09149PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

EGF Mouse Monoclonal Antibody [Clone ID: S-146]

Product data:

Product Type: Primary Antibodies

Clone Name: S-146

Applications: ELISA, IF, WB

Recommended Dilution: ELISA: The antibody can be used in Sandwich ELISA for EGF detection.

The Matched antibody (Capture) is Clone S-134*Cat.-No* DM1012.

Western blot: The antibody recognized recombinant EGF.

Immunocytochemistry.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Purified recombinant Human EGF, 6kDa, 53 amino acid residues

Specificity: Reactive with natural and recombinant Human EGF.

Does not cross react with other Human cytokines tested such as IL-1beta, IL-8, MCAF, TGF-

beta and SAA

Formulation: 0.01M PBS, pH 7.2 without preservatives

State: Purified

State: Lyophilized purified Ig fraction

Reconstitution Method: Restore with Double distillated water to adjust the final concentration to 1.0 mg/ml.

Concentration: 1.0 mg/ml (after reconstitution)

Purification: Affinity Chromatography on Protein G

Conjugation: Unconjugated

Storage: Upon receipt, store (in aliquots) at -20°C.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: epidermal growth factor

Database Link: Entrez Gene 1950 Human

P01133





Background:

Epidermal growth factor (EGF) has a profound effect on the differentiation of specific cells in vivo and is a potent mitogenic factor for a variety of cultured cells. The EGF precursor is believed to exist as a membrane-bound molecule which is proteolytically cleaved to generate the 53-amino acid peptide hormone that stimulates cells to divide. EGF exerts its actions by binding to the EGFR, a 170 kDa protein.

Epidermal growth factor (EGF) is a key growth factor regulating cell survival. Through its binding to cell surface receptors, EGF activates an extensive network of signal transduction pathways that include activation of the PI3K/AKT, RAS/ERK and JAK/STAT pathways. Because of its key role in driving the proliferation of cells, EGFR is a target of several anti-cancer drugs currently in development.

Synonyms: Urogastrone, Epidermal growth factor, URG, HOMG4

Protein Families: Adult stem cells, Druggable Genome, Embryonic stem cells, ES Cell Differentiation/IPS,


Induced pluripotent stem cells, Transmembrane

Protein Pathways: Bladder cancer, Cytokine-cytokine receptor interaction, Endocytosis, Endometrial cancer, ErbB


signaling pathway, Focal adhesion, Gap junction, Glioma, MAPK signaling pathway, Melanoma, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Prostate

cancer, Regulation of actin cytoskeleton

Product images:



The antibody recognized recombinant EGF on western blot.



Staining of methanol-fixed Hela cells by Immunocytochemistry using Human EGF Antibody (Clone S-146) at 1/100 (10 ug/ml).