

## Product datasheet for **AM10027PU-N**

### Cytokeratin 8 (KRT8) (+ KRT18) Mouse Monoclonal Antibody [Clone ID: CK207]

#### Product data:

Product Type:	Primary Antibodies
Clone Name:	CK207
Applications:	IF, IHC
Recommended Dilution:	Suitable for <b>Immunohistochemistry</b> and <b>Immunocytochemistry</b> (Frozen or Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections and cell smears) For IHC dilute concentrated antibody at 1/50-1/100, use streptavidin-biotin system or polymer system, incubate 30 minutes at room temperature. Recommended Positive Control: Human breast, any GI tissue or skin.
Reactivity:	Human
Host:	Mouse
Isotype:	IgG1
Clonality:	Monoclonal
Immunogen:	Purified keratins.
Specificity:	This antibody recognizes all simple epithelia and glandular (thyroid, breast, GI tract, respiratory tract, urinary tract). Most squamous carcinomas and all adenocarcinomas are stained by this antibody and keratinizing squamous carcinomas are mostly negative. Cellular Localization: Cytoplasmic.
Formulation:	PBS, pH 7.4 containing 1% BSA as stabilizer and 0.05% Sodium Azide as preservative. State: Purified State: Liquid purified Ig fraction.
Concentration:	lot specific
Purification:	Protein A Chromatography.
Conjugation:	Unconjugated
Storage:	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: One year from despatch.
Gene Name:	keratin 8



[View online »](#)

**Database Link:** [Entrez Gene 3856 Human P05787](#)

**Background:** Cytokeratins are intermediate filament keratins found in the intracytoplasmic cytoskeleton of epithelial tissue. There are two types of Cytokeratins: the low weight, acidic type I cytokeratins and the high weight, basic or neutral type II. Cytokeratins are usually found in pairs comprising a type I Cytokeratin and a type II cytokeratin. The high molecular weight cytokeratins, which are the basic or neutral cytokeratins, comprise subtypes CK1, CK2, CK3, CK4, CK5, CK6, CK7, CK8 and CK9. The low molecular weight cytokeratins, which are the acidic cytokeratins, comprise subtypes CK10, CK12, CK13, CK14, CK16, CK17, CK18, CK19 and CK20.

**Synonyms:** KRT8, CYK8, Cytokeratin-8, CK8, Keratin-8, K8, Cytokeratin endo A

**Protein Families:** Druggable Genome