

Product datasheet for AM10040PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Thyroglobulin (TG) Mouse Monoclonal Antibody [Clone ID: TG221]

Product data:

Product Type: Primary Antibodies

Clone Name: TG221

Applications: FC, IF, IHC

Recommended Dilution: Suitable for Immunohistochemistry and Immunocytochemistry (Frozen or Formalin-Fixed

Paraffin-Embedded (FFPE) tissue sections and cell smears)

For IHC dilute concentared antibody at 1/50-1/100, use streptavidin~biotin system or

polymer system, incubate 30 minutes at room temperature.

Immunofluorescence.

Recommended Positive Control: Human thyroid.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Purified human Thyroglobulin.

Specificity: This antibody Tg is useful in identification of thyroid carcinoma of the papillary and follicular

types. Presence of Tg in metastatic lesion establishes thyroid origin of tumor.

Cellular Localization: Cytoplasmic.

Formulation: PBS, pH 7.4 containing 1% BSA as stabilizer and 0.05% Sodium Azide as preservative.

State: Purified

State: Liquid purified Ig fraction.

Concentration: lot specific

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: One year from despatch

Gene Name: thyroglobulin

Database Link: Entrez Gene 7038 Human

P01266





Thyroglobulin (TG) Mouse Monoclonal Antibody [Clone ID: TG221] - AM10040PU-N

Background: Thyroglobulin (Tg) is a 660 kDa dimeric protein produced by and used by entirely within

thyroid gland. Tg is used by the thyroid gland to produce the thyroid hormone thyroxine (T4) and triiodothyronine (T3). Tg is produced by the thyroid epithelial cells, called thyrocytes, which form spherical follicles. Tg is stored in the follicle lumen. Tg levels in the blood can be used as markers for certain kind of thyroid cancer. Tg levels are also elevated in Graves

disease.

Synonyms: Thyreoglobulin, TGN