

Product datasheet for AM10226PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Transglutaminase 3 (TGM3) Mouse Monoclonal Antibody [Clone ID: H3]

Product data:

Product Type: Primary Antibodies

Clone Name: H3

Applications: ELISA, IHC, WB

Recommended Dilution: ELISA.

Western Blot: 1/200-1/1000.

Immunohistochemistry: 1/100-1/500.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Recombinant Human Transglutaminase-3

Specificity: Reacts with Human TGM3 protein *full length* (77kDa) and *proteolysed* form (47kDa and 30

kDa).

Reacts with epidermal Transglutaminase (TGase 3) from Human epidermal cells and

recombinant Human Transglutaminase (rh-TGase3).

Formulation: 0.1M Tris, 0.1M Glycine and 2% Sucrose

State: Purified

State: Lyophilized purified antibody

Preservative: None

Reconstitution Method: Restore in distilled water.

Concentration: lot specific

Purification: Affinity Chromatography on Protein A

Conjugation: Unconjugated

Storage: Store lyophilized at 2-8°C for 6 months or at -20°C long term.

After reconstitution store the antibody undiluted at 2-8°C for one month

or (in aliquots) at -20°C long term. Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.





Transglutaminase 3 (TGM3) Mouse Monoclonal Antibody [Clone ID: H3] - AM10226PU-N

Gene Name: transglutaminase 3

Database Link: Entrez Gene 7053 Human

Q08188

Background: Transglutaminases are enzymes that catalyze the crosslinking of proteins by epsilon-gamma

glutamyl lysine isopeptide bonds. While the primary structure of transglutaminases is not conserved, they all have the same amino acid sequence at their active sites and their activity is calcium-dependent. The protein encoded by this gene consists of two polypeptide chains activated from a single precursor protein by proteolysis. The encoded protein is involved the

later stages of cell envelope formation in the epidermis and hair follicle.

Synonyms: TGase, TGE