

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for AM11022PU-N

TPX2 Mouse Monoclonal Antibody [Clone ID: 19AT953.286.93]

Product data:

Product Type:	Primary Antibodies
Clone Name:	19AT953.286.93
Applications:	WB
Recommended Dilution:	ELISA: 1/1,000 Western blotting: 1/100-1/500.
Reactivity:	Human, Mouse
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	This monoclonal antibody is generated from mice immunized with a collection of antigenic peptides from different regions of P100.
Specificity:	This antibody is specific to P100.
Formulation:	PBS containing 0.09% (W/V) Sodium Azide as preservative. State: Purified State: Liquid purified Ig fraction.
Concentration:	lot specific
Purification:	Protein G Chromatography eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS.
Conjugation:	Unconjugated
Storage:	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	TPX2, microtubule nucleation factor
Database Link:	<u>Entrez Gene 22974 Human</u> <u>Q9ULW0</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRIGENE TPX2 Mouse Monoclonal Antibody [Clone ID: 19AT953.286.93] – AM11022PU-N

Background:The nuclear protein p100 is a proliferation-associated protein whose expression is restricted
to cell cycle phases S, G2, and M. Exclusively expressed in proliferating cells from the
transition G1/S until the end of cytokinesis. During mitosis it is strictly associated with the
spindle pole and with the mitotic spindle, whereas during S and G2, it is diffusely distributed
throughout the nucleus. The full-length cDNA encodes a 747-amino acid protein with a
putative ATP/GTP-binding site motif. RT-PCR analysis demonstrated strong expression of in
lung carcinoma cell lines but not in normal lung tissues. Expression was also found in adult
placenta, skeletal muscle, thymus, testis, and small intestine and in fetal brain, liver, and
kidney. P100 is also correlated to cancer prognosis.

Synonyms: DIL-2, C20orf1, C20orf2, HCA519

Product images:




Figure 1. Western analysis of extracts from Jurkat cells using P100 antibody.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US