

# **Product datasheet for AM12067AC-N**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CD26 (DPP4) Mouse Monoclonal Antibody [Clone ID: BA5b]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: BA5b
Applications: FC

**Recommended Dilution:** Flow Cytometry analysis of human blood cells using 10 μl reagent / 100 μl of whole blood or

10e6 cells in a suspension.

The content of a vial (1 ml) is sufficient for 100 tests.

Reactivity: Human
Host: Mouse
Isotype: IgG2a

Clonality: Monoclonal

**Immunogen:** A human T cell clone

Specificity: This antibody recognizes CD26, a 110 kDa type II membrane glycoprotein, which is a

peptidase expressed on mature thymocytes, T cells (especially activated), B cells, NK cells and

macrophages.

**Formulation:** Phosphate buffered saline (PBS) containing 15 mM sodium azide and 0.2% (w/v) high-grade

protease free Bovine Serum Albumin (BSA) as a stabilizing agent

Label: APC

State: Liquid purified Ig fraction

Label: Conjugated with cross-linked Allophycocyanin

Conjugation: APC

Storage: Store the antibody at 2 - 8 °C. DO NOT FREEZE! This product is photosensitive and should be

protected from light.

**Stability:** Shelf life: one year from despatch.

Gene Name: Homo sapiens dipeptidyl-peptidase 4 (DPP4)

Database Link: Entrez Gene 1803 Human

P27487






#### Background:

CD26, also known as dipeptidyl peptidase IV (DPP-IV), is a homodimeric cell surface serine peptidase that degradates IFN-gamma-induced cytokines, acts as a T cell costimulatory molecule, and participates in multiple immunopathological roles in leukocyte homing and inflammation. Alterations in its peptidase activity are characteristic of malignant transformation. The enzymatic activity increases dramatically with tumour grade and severity. CD26 is expressed in various blood cell types, but also e.g. in cells that are histogenetically related to activated fibroblasts. Alterations in CD26 density have been reported on circulating monocytes and CD4+ T cells during rheumatoid arthritis and systemic lupus erythematosus.

Synonyms: ADCP2, Dipeptidyl peptidase 4, DPP IV, Dipeptidyl peptidase IV, ADABP, TP103

**Protein Families:** Druggable Genome, Protease, Secreted Protein, Transmembrane

### **Product images:**



Surface staining of human peripheral blood cells with anti-human CD26 (BA5b) APC.