

Product datasheet for AM20240PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Bone Sialoprotein (IBSP) (CD-BSP 108-122) Rat Monoclonal Antibody [Clone ID: IDBSP5]

Product data:

Product Type: Primary Antibodies

Clone Name: IDBSP5

Applications: ELISA, WB

Recommended Dilution: ELISA: 1/2000.

Western Blot.

Reactivity: Human

Host: Rat lgG1

Clonality: Monoclonal

Immunogen: Recombinant Human CD-BSP (108-122)

Specificity: Recognizes Carbohydrate-deficient Bone Sialoprotein (CD-BSB/Tumor-BSP).

Formulation: PBS, pH 7.4

State: Purified

State: Liquid purifed IgG fraction

Purification: Protein G Chromatography

Conjugation: Unconjugated

Storage: Store the antibody at -20°C.

Avoid repeated freezing and thawing.

Stability: Shelf life: One year from despatch.

Gene Name: integrin binding sialoprotein

Database Link: Entrez Gene 3381 Human

P21815





Bone Sialoprotein (IBSP) (CD-BSP 108-122) Rat Monoclonal Antibody [Clone ID: IDBSP5] – AM20240PU-N

Background: The protein encoded by the Bone Sialoprotein gene is a major structural protein of the bone

matrix. It is synthesized by skeletal-associated cell types, including hypertrophic

chondrocytes, osteoblasts, osteocytes, and osteoclasts, and it constitutes approximately 12% of the noncollagenous proteins in human bone. The only extraskeletal site of its synthesis is the trophoblast. This protein binds to calcium and hydroxyapatite via its acidic amino acid clusters, and mediates cell attachment through an RGD sequence that recognizes the


vitronectin receptor.

Synonyms: Bone sialoprotein II, BSP II, IBSP, BNSP

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: ECM-receptor interaction, Focal adhesion

Product images:



ELISA Standard curve showing measurement of Human BSP in a Sandwich immunoassay using AM20240PU as a Capture antibody and AM02057PU as a Detection antibody. OD was determined at 450 nm. The shown standard curve is for demonstration purposes only and can be influenced by Buffer, incubation conditions or dilution of the conjugate.