

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for AM26374PU-N

Collagen II (COL2A1) Mouse Monoclonal Antibody [Clone ID: M2139]

Product data:

Product Type:	Primary Antibodies
Clone Name:	M2139
Applications:	ELISA, FN, IHC
Recommended Dilution:	Immunohistochemistry on Frozen Sections: The typical starting working dilution is 1/10. Immunohistochemistry on Paraffin Sections: The typical starting working dilution is 1/10. Functional assays. Immunoassays.
Reactivity:	Bovine, Chicken, Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG2b
Clonality:	Monoclonal
Specificity:	The monoclonal antibody M2139 reacts with the J1 epitope (triple helical position 551-564) of Collagen type II. The monocolonal antibody M2139 has been shown to induce CAIA in naïve mice after injection of lipopolysacharide (LPS). However, in combination with the monoclonal antibody CIIC1 (CatNo AM26375PU-N), binding to the C1 epitope of CII, the pair of monoclonal antibodies induce arthritis in different strains of mice without any other stimulants. The presence of secondary stimulus, LPS, increases the disease incidence and severity.
Formulation:	PBS State: Purified State: Liquid 0.2 μm filtered lg fraction Stabilizer: 0.1% BSA
Concentration:	lot specific
Purification:	Protein G Chromatography
Conjugation:	Unconjugated
Storage:	Store undiluted at 2-8°C. DO NOT FREEZE!
Stability:	Shelf life: one year from despatch.
Gene Name:	collagen type II alpha 1 chain



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Collagen II (COL2A1) Mouse Monoclonal Antibody [Clone ID: M2139] – AM26374PU-N
Database Link:	<u>Entrez Gene 1280 Human</u> <u>P02458</u>
Background:	Collagen is a structural protein in bone, cartillage and connective tissue. Collagen type II (CII) is the major collagen of the nucleus pulposa (a component of spine), cartilage and vitreous (a component of the eye). The most commonly used animal model for rheumatoid arthritis (RA) is the collagen-induced arthritis (CIA). Transfer of collagen type II specific monoclonal antibodies induces an acute form of arthritis (collagen type II antibody induced arthritis, CAIA).
Synonyms:	COL2, Collagen II

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US