

## **Product datasheet for AM31032PU-N**

# SGK1 Mouse Monoclonal Antibody [Clone ID: 3C4]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: 3C4

**Applications:** ELISA, IF, IHC, WB

Recommended Dilution: ELISA.

**Immunofluorescence:** 10 µg/ml.

Immunohistochemistry on Paraffin Sections: 5 µg/ml.

Western Blot.

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

Immunogen: SGK1 antibody was raised against recombinant protein

**Specificity:** This antibody reacts to SGK1.

Formulation: PBS, pH 7.2

State: Purified

State: Liquid purfied Ig fraction

**Concentration:** lot specific

**Purification:** Protein A chromatography

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Gene Name:** serum/glucocorticoid regulated kinase 1

**Database Link:** Entrez Gene 6446 Human

O00141



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




#### Background:

SGK, a SGK type protein kinase, is a multi-functional kinase that is phosphorylated and activated through a 3-phosphoinositide-dependent protein kinase 1 (PDK1) signaling pathway. The protein has been shown to activate certain potassium, sodium and chloride channels which function in cell survival, neuronal excitability and renal sodium excretion. SGK transcription can be stimulated by glucocorticoids, aldosterone, TGF-beta1, serum, increase of intracellular Ca2+ and phorbolesters, and can be downregulated by cAMP. At least 2 mRNA variants have been reported. The SGK1 gene has been mapped to chromosome 6q23, a region frequently affected by deletion in various human neoplasms, and has been shown to be upregulated in lung fibrosis, diabetic nephropathy and chronic viral hepatitis.


Synonyms: Serine/threonine-protein kinase Sgk1

Protein Families: Druggable Genome, Protein Kinase

### **Product images:**




Detection limit for recombinant GST tagged SGK is approximately 0.3ng/ml as a capture antibody.



Human Liver: Formalin-Fixed, Paraffin-Embedded (FFPE)





Immunofluorescence of monoclonal antibody to SGK1 on HeLa cell. [antibody concentration 10 ug/ml]