

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for AM31789PU-N

FOXO3 (361-460) Mouse Monoclonal Antibody [Clone ID: 3C2]

Product data:


Product Type:	Primary Antibodies
Clone Name:	3C2
Applications:	ELISA, IHC, WB
Recommended Dilution:	ELISA. Immunohistochemistry on Paraffin Sections: 5 μg/ml. Western Blot: 1/500 - 1/1000.
Reactivity:	Human
Host:	Mouse
lsotype:	lgG2a
Clonality:	Monoclonal
Immunogen:	FOXO3A (AAH21224, 361 a.a. ~ 460 a.a) partial recombinant protein with GST tag.
Specificity:	This antibody recognizes Human FOXO3 / FOXO3A at 361-460. Other species not tested.
Formulation:	PBS, pH 7.4 State: Purified State: Liquid purified Ig fraction
Concentration:	lot specific
Purification:	Affinity Chromatography on Protein A
Conjugation:	Unconjugated
Storage:	Upon receipt, store undiluted (in aliquots) at -20°C. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	forkhead box O3
Database Link:	<u>Entrez Gene 2309 Human</u> <u>O43524</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	FOXO3 (361-460) Mouse Monoclonal Antibody [Clone ID: 3C2] – AM31789PU-N
Background:	Transcriptional activator which triggers apoptosis in the absence of survival factors, including neuronal cell death upon oxidative stress. Recognizes and binds to the DNA sequence 5'- [AG]TAAA[TC]A-3'. Participates in post-transcriptional regulation of MYC: following phosphorylation by MAPKAPK5, promotes induction of miR-34b and miR-34c expression, 2 post-transcriptional regulators of MYC that bind to the 3' UTR of MYC transcript and prevent its translation.
Synonyms:	FOXO3A, AF6q21 protein
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathway	s: Chemokine signaling pathway, Endometrial cancer, Neurotrophin signaling pathway, Non- small cell lung cancer

Product images:



Detection limit for recombinant GST tagged FOXO3A is approximately 0.3 ng/ml as a capture antibody.

Formalin-Fixed, Paraffin-Embedded Human Spleen stained FOXO3 / FKHRL1 Antibody at 5 ug/ml after heat-induced antigen retrieval.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US