

# **Product datasheet for AM32859PU-S**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CD45 (PTPRC) (CD45RB) Mouse Monoclonal Antibody [Clone ID: PD7/26]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: PD7/26

**Applications:** IF, IHC, IP, WB

**Recommended Dilution: ELISA:** Use BSA free Antibody for Coating.

Western Blot: 0.5-1 µg/ml.

**Immunoprecipitation:** 0.5-1 μg/500 μg protein lysate.

**Flow Cytometry:** 0.5-1 µg/106 cells. **Immunofluorescence:** 0.5-1 µg/ml.

Immunohistochemistry on Frozen and Formalin-Fixed Paraffin Sections 0.5-1 µg/ml for

30 minutes at RT.

Staining of formalin-fixed tissues requires boiling tissue sections in 10mM citrate buffer, pH

6.0, for 10-20 min followed by cooling at RT for 20 minutes. *Positive Control*: Ramos, U-698, or GA-10 cells, Tonsil.

Reactivity: Human Host: Mouse

**Isotype:** IgG1

Clonality: Monoclonal

**Immunogen:** Human peripheral blood lymphocytes maintained in T cell growth factor.

**Specificity:** Recognizes Human CD45RB. Other species not tested.

Along with other CD45 antibodies, antibody from clone PD7/26 is commonly used to identify

tumors of lymphoid origin.

*Cellular Localization*: Cell surface and cytoplasmic.

Formulation: 10mM PBS

State: Purified

State: Liquid purified IgG fraction from Bioreactor Concentrate

Stabilizer: 0.05% BSA

Preservative: 0.05% Sodium Azide

**Concentration:** lot specific

**Purification:** Protein A/G Chromatography





#### CD45 (PTPRC) (CD45RB) Mouse Monoclonal Antibody [Clone ID: PD7/26] - AM32859PU-S

Conjugation: Unconjugated

**Storage:** Store undiluted at 2-8°C.

**Stability:** Shelf life: one year from despatch.

Predicted Protein Size: 180-220 kDa

**Gene Name:** protein tyrosine phosphatase, receptor type C

Database Link: Entrez Gene 5788 Human

P08575

**Background:** CD45, a transmembrane multifunctional glycoprotein, is a member of Type I receptor-linked


PTPase family and is expressed as multiple isoforms due to alternative splicing. Expression of these isoforms is highly regulated and shift in this expression determines T-cell activation. CD45RB consists of exon B and is predominantly expressed in naïve T-cells secreting IL-2. Its expression is low in primed/memory T cells, cells that express Th2 cytokines such as IL-4 and

IL-10 and population of T-cells with regulatory function. Immunotherapy with CD45RB

antibody is being widely studied in transplantation and vaccination.


Synonyms: PTPRC, Leukocyte common antigen, L-CA, T200

## **Product images:**



Formalin-Fixed, Paraffin-Embedded Human tonsil (10X) stained with CD45RB Antibody (Clone PD7/26).





Formalin-Fixed, Paraffin-Embedded Human tonsil (20X) stained with CD45RB Antibody (Clone PD7/26).