

Product datasheet for AM33300PU-T

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

L1CAM Mouse Monoclonal Antibody [Clone ID: UJ127]

Product data:

Product Type: Primary Antibodies

Clone Name: UJ127

Applications: FC, IF, IHC, IP, WB

Recommended Dilution: ELISA: Use BSA free Antibody for coating.

Flow Cytometry: 0.5-1 μg/million cells. **Immunofluorescence:** 1-2 μg/ml. **Western Blotting:** 0.5-1 μg/ml.

Immunoprecipitation: 1-2 μg/500 μg protein lysate.

Immunohistochemistry on Frozen Sections: 1-2 µg/ml for 30 minutes at RT.

Positive Control: Neuroblastomas or Schwannomas.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Homogenous suspension of 16 week Human fetal brain.

Specificity: Recognizes a cell surface protein of 220-240kDa, identified as L1 Cell Adhesion Molecule.

This Monoclonal Antibody is useful in the identification of primitive neuroectodermal tumors.

It binds to tumors of neuroectodermal and glial origin e.g. neuroblastoma and

Schwannomas. It does not bind to pediatric or adult brain.

Cellular Localization: Cell surface.

Formulation: 10mM PBS

State: Purified

State: Liquid purified IgG fraction from Bioreactor Concentrate

Stabilizer: 0.05% BSA

Preservative: 0.05% Sodium Azide

Concentration: lot specific

Purification: Protein A/G Chromatography

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C.





L1CAM Mouse Monoclonal Antibody [Clone ID: UJ127] - AM33300PU-T

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 220-240 kDa

Gene Name: L1 cell adhesion molecule

Database Link: Entrez Gene 3897 Human

P32004

Background: The L1CAM gene, which is located in Xq28, is involved in three distinct conditions: 1) HSAS

(hydrocephalus-stenosis of the aqueduct of Sylvius); 2) MASA (mental retardation, aphasia, shuffling gait, and adducted thumbs); and 3) SPG1 (spastic paraplegia). The L1, neural cell adhesion molecule (L1CAM) also plays an important role in axon growth, fasciculation, and neural migration as well as in mediating neuronal differentiation. Expression of L1 protein is

restricted to tissues arising from neuroectoderm.

Synonyms: N-CAM L1, CAML1, MIC5