

## Product datasheet for AM33357PU-T

## c-Myc (MYC) Mouse Monoclonal Antibody [Clone ID: MYC275]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: MYC275

**Applications:** FC, IF, IP, WB

**Recommended Dilution: ELISA:** Use BSA free Antibody for coating.

**Flow Cytometry:** 0.5-1 μg/million cells. **Immunofluorescence:** 1-2 μg/ml. **Western Blotting:** 0.5-1 μg/ml.

**Immunoprecipitation:** 1-2 μg/500ug protein lysate. **Positive Control**: HL-60 cells or breast carcinoma.

Reactivity: Human
Host: Mouse

**Isotype:** lgG1

Clonality: Monoclonal

Immunogen: Recombinant Human c-myc protein.

**Specificity:** Recognizes c-Myc Oncoprotein.

Cellular Localization: Nuclear.

Formulation: 10mM PBS

State: Purified

State: Liquid purified IgG fraction from Bioreactor Concentrate

Stabilizer: 0.05% BSA

Preservative: 0.05% Sodium Azide

**Concentration:** lot specific

**Purification:** Protein A/G Chromatography

**Conjugation:** Unconjugated

**Storage:** Store undiluted at 2-8°C.

**Stability:** Shelf life: one year from despatch.

Predicted Protein Size: 62-64 kDa

Gene Name: v-myc avian myelocytomatosis viral oncogene homolog



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## c-Myc (MYC) Mouse Monoclonal Antibody [Clone ID: MYC275] - AM33357PU-T

Database Link: Entrez Gene 4609 Human

P01106

**Background:** The c-Myc protein is a transcription factor, which is encoded by the c-Myc gene on human

chromosome 8q24. c-Myc is commonly activated in a variety of tumor cells and plays an important role in cellular proliferation, differentiation, apoptosis and cell cycle progression. The phosphorylation of c-Myc has been investigated and previous studies have suggested a functional association between phosphorylation at Thr58/Ser62 by glycogen synthase kinase 3, cyclin dependent kinase, ERK2 and C-Jun N terminal Kinase (JNK) in cell proliferation and

cell cycle regulation. Studies also have shown that c-Myc is essential for tumor cell

development in vasculogenesis and angiogenesis that distribute blood throughout the cells, and which brought extensive attention in the development of new therapeutic approach for

cancer treatment.

**Synonyms:** Transcription factor p64, BHLHE39