

Product datasheet for AM50188PU-S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Carbonic Anhydrase IX (CA9) Mouse Monoclonal Antibody [Clone ID: SPM314]

Product data:

Product Type: Primary Antibodies

Clone Name: SPM314

Applications: FC, IF, IHC, IP, WB

Recommended Dilution: ELISA: Use BSA free Antibody for coating.

Flow Cytometry: 0.5-1 μg/million cells **Immunofluorescence:** 1-2 μg/ml. **Western Blotting:** 0.5-1 μg/ml.

Immunoprecipitation: 1-2 μg/500 μg protein lysate.

Immunohistochemistry on Frozen and Formalin-Fixed Paraffin Sections: 0.5-1 µg/ml for

30 minutes at RT.

Staining of formalin-fixed tissues requires boiling tissue sections in 10mM citrate buffer, pH

6.0, for 10-20 min followed by cooling at RT for 20 minutes. *Positive Control*: Normal kidney or renal cell carcinoma.

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Microsomal fraction of human renal cortical tissue homogenate.

Specificity: Recognizes a glycoprotein of ~200kDa, identified as Carbonic Anhydrase IX (CAIX/gp200). Its

epitope resides in the carbohydrate domain of gp200. It shows no significant cross-reactivity with other carbohydrate determinants, such as the Lewis blood group antigens, epithelial membrane antigen, HMFG, and AB blood group antigens. In normal kidney, gp200 is localized along the brush border of the pars convolute and pars recta segments of the province.

along the brush border of the pars convoluta and pars recta segments of the proximal tubule, as well as focally along the luminal surface of Bowman's capsule adjoining the outgoing proximal tubule. Reportedly, gp200 is expressed by 93% of primary and 84% of

metastatic renal cell carcinomas.

This MAb may be useful in the investigations of carcinomas of proximal nephrogenic

differentiation especially those showing tubular differentiation.

Cellular Localization: Cell surface and cytoplasmic.



Carbonic Anhydrase IX (CA9) Mouse Monoclonal Antibody [Clone ID: SPM314] - AM50188PU-S

Formulation: 10mM PBS

State: Purified

State: Liquid purified IgG fraction from Bioreactor Concentrate

Stabilizer: 0.05% BSA

Preservative: 0.05% Sodium Azide

Concentration: lot specific

Purification: Protein A/G Chromatography

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 200 kDa

Gene Name: carbonic anhydrase 9


Database Link: Entrez Gene 768 Human

Q16790

Synonyms: Carbonic anhydrase IX, Carbonate dehydratase IX, Membrane antigen MN, P54/58N, pMW1,

CA9, CA IX, G250

Product images:



Formalin-Paraffin Human Renal Cell Carcinoma stained with RCC Antibody (Clone SPM314). Note cytoplasmic & cell surface staining of tumor cells.