

Product datasheet for AM50190PU-T

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD5 Mouse Monoclonal Antibody [Clone ID: SPM546]

Product data:

Product Type: Primary Antibodies

Clone Name: SPM546
Applications: FC, IF, IHC

 $\label{eq:commended} \textbf{Pow Cytometry:} \ 0.5\text{--}1 \ \mu\text{g/million cells}.$

Immunofluorescence: 0.5-1 µg/ml.

Immunohistochemistry on Formalin-Fixed Paraffin Sections: $0.5-1 \mu g/ml$ for 30 min at RT. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate Buffer, pH

6.0, for 10-20 min followed by cooling at RT for 20 minutes. *Positive Control*: 293T, Ramos, or MOLT-4 Cells, Tonsil.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human CD5 recombinant protein.

Specificity: Recognizes a 67kDa transmembrane protein, which is identified as CD5. The CD5 antigen is

found on 95% of thymocytes and 72% of peripheral blood lymphocytes. In lymph nodes, the main reactivity is observed in T cell areas. Anti-CD5 is a pan T-cell marker that also reacts with a range of neoplastic B-cells, e.g. chronic lymphocytic leukemia/small lymphocytic lymphoma (CLL/SLL), mantle cell lymphoma, and a subset (~10%) of diffuse large B-cell lymphoma. CD5 aberrant expression is useful in making a diagnosis of mature T-cell neoplasms. Anti-CD5 detection is diagnostic in CLL/SLL within a panel of other B-cell markers, especially one that includes anti-CD23. Anti-CD5 is also very useful in differentiating among mature small lymphoid cell malignancies. In addition, anti-CD5 can be used in distinguishing thymic carcinoma (+) from thymoma (-). Anti-CD5 does not react with granulocytes or monocytes.

Cellular Localization: Cell surface.

Formulation: 10mM PBS

State: Purified

State: Liquid purified IgG fraction from Bioreactor Concentrate

Stabilizer: 0.05% BSA

Preservative: 0.05% Sodium Azide





Concentration: lot specific

Purification: Protein A/G Chromatography

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 67 kDa


Gene Name: CD5 molecule

Database Link: Entrez Gene 921 Human

P06127

Synonyms: CD5, LEU1

Product images:



Formalin-Fixed, Paraffin-Embedded Human tonsil stained with CD5 Antibody (Clone SPM546).