

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for AM50199PU-S

### ACTH (POMC) (1-24) Mouse Monoclonal Antibody [Clone ID: 2F6]

#### **Product data:**

Product Type:	Primary Antibodies
Clone Name:	2F6
Applications:	FC, IF, IHC, IP, WB
Recommended Dilution:	<ul> <li>ELISA: Use BSA free Antibody for coating.</li> <li>Flow Cytometry: 0.5-1 μg/million cells.</li> <li>Immunofluorescence: 0.5-1 μg/ml.</li> <li>Western Blotting: 0.5-1.0 μg/ml.</li> <li>Immunoprecipitation: 0.5-1 μg/500 μg protein lysate.</li> <li>Immunohistochemistry on Frozen and Formalin-Fixed Paraffin Sections: 0.5-1.0 μg/ml</li> <li>for 30 min at RT.</li> <li>No special pretreatment is required for staining of formalin-fixed tissues.</li> <li><i>Positive Control</i>: Normal pituitary gland or pituitary tumor.</li> </ul>
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Synthetic peptide corresponding to aa1-24 of Human ACTH.
Specificity:	ACTH (same as Corticotropin) is a 39 amino acid active peptide produced by the anterior pituitary. This Monoclonal Antibody is specific to Synacthen (aa1-24 of ACTH); does not react with CLIP (aa17-39 of ACTH). POMC (pro-opiomelanocortin or corticotropin-lipotropin) is a 267 amino acid polypeptide hormone precursor that goes through extensive, tissue-specific posttranslational processing by convertases. POMC is cleaved into ten hormone chains named NPP, ACTH, alpha-MSH (Melanocyte Stimulating Hormone), beta-MSH, gamma-MSH, CLIP (corticotropin-like intermediary peptide), Lipotropin-beta, Lipotropin-gamma, beta-endorphin and Met-enkephalin. ACTH is also produced by cells of immune system (T-cells, B-cells, and macrophages) in response to stimuli associated with stress. Anti-ACTH is a useful marker in classification of pituitary tumors and the study of pituitary disease. It reacts with ACTH-producing cells (corticotrophs). It also may react with other tumors (e.g. some small cell carcinomas of the lung) causing paraneoplastic syndromes by secreting ACTH.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## **CRIGENE** ACTH (POMC) (1-24) Mouse Monoclonal Antibody [Clone ID: 2F6] – AM50199PU-S

Formulation:	10mM PBS State: Purified State: Liquid purified IgG fraction from Bioreactor Concentrate Stabilizer: 0.05% BSA Preservative: 0.05% Sodium Azide
Concentration:	lot specific
Purification:	Protein A/G Chromatography
Conjugation:	Unconjugated
Storage:	Store undiluted at 2-8°C.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	ACTH is ~5 kDa, and the POMC precursor is ~30 kDa.
Gene Name:	proopiomelanocortin
Database Link:	<u>Entrez Gene 5443 Human</u> <u>P01189</u>
Synonyms:	Pro-opiomelanocortin, Corticotropin-Lipotropin

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US