

Product datasheet for **AM50242PU-T**

CD6 Mouse Monoclonal Antibody [Clone ID: C6/372]


Product data:

Product Type:	Primary Antibodies
Clone Name:	C6/372
Applications:	FC, IF, IHC, IP, WB
Recommended Dilution:	<p>ELISA: Use BSA free Antibody for coating.</p> <p>Flow Cytometry: 0.5-1 µg/million cells.</p> <p>Immunofluorescence: 0.5-1 µg/ml.</p> <p>Immunoprecipitation: 0.5-1 µg/500 µg protein.</p> <p>Western Blotting: 0.5-1 µg/ml.</p> <p>Immunohistochemistry on Frozen and Formalin-Fixed Paraffin Sections: 0.5-1 µg/ml for 30 min at RT. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate Buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes.</p> <p>Positive Control: CCRF-CEM, Jurkat cells, Tonsil.</p>
Reactivity:	Human
Host:	Mouse
Isotype:	IgG1
Clonality:	Monoclonal
Immunogen:	Human recombinant CD6 protein.
Specificity:	<p>CD6 is a type I transmembrane glycoprotein that contains a 24-amino acid signal sequence, three extracellular "scavenger receptor cysteine-rich" (SRCR) domains, a membrane-spanning domain and a 44-amino acid cytoplasmic domain. The CD6 glycoprotein is tyrosine phosphorylated during TCR-mediated T cell activation. CD6 shows significant homology to CD5. CD6 is present on mature thymocytes, peripheral T cells and a subset of B cells. Antibodies to CD6 are used to deplete T cells from bone marrow transplants to prevent graft versus host disease.</p> <p>Cellular Localization: Cell surface and cytoplasmic</p>
Formulation:	<p>10mM PBS</p> <p>State: Purified</p> <p>State: Liquid purified IgG fraction from Bioreactor Concentrate</p> <p>Stabilizer: 0.05% BSA</p> <p>Preservative: 0.05% Sodium Azide</p>




[View online »](#)

Concentration:	lot specific
Purification:	Protein A/G Chromatography
Conjugation:	Unconjugated
Storage:	Store undiluted at 2-8°C.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	90-130 kDa
Gene Name:	CD6 molecule
Database Link:	Entrez Gene 923 Human P30203
Synonyms:	T12, TP120

Product images:

Formalin-Paraffin tonsil (10X) stained with CD6 Antibody (Clone C6/372).



Formalin-Paraffin tonsil (20X) stained with CD6 Antibody (Clone C6/372).