

## Product datasheet for AM50350PU-S

## CD46 Mouse Monoclonal Antibody [Clone ID: AT2G9]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: AT2G9

**Applications:** ELISA, FC, IF, IHC, WB

Recommended Dilution: ELISA.

Western blot. Flow cytometry.

Immunofluorescence/Immnunocytochemistry. Immunohistochemistry on Paraffin Sections.

Reactivity: Human
Host: Mouse

**Isotype:** IgG2a

Clonality: Monoclonal

**Immunogen:** Recombinant human CD46 (35-313aa) purified from E. coli.

**Formulation:** PBS, pH 7.4 containing 0.02% Sodium Azide and 10% Glycerol

State: Purified

State: Liquid purified Ig fraction

**Concentration:** lot specific

**Purification:** Protein-A affinity chromatography

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for up to two weeks or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

Gene Name: CD46 molecule

Database Link: Entrez Gene 4179 Human

P15529



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

Membrane Cofactor Protein (CD46) is a type 1 membrane protein that plays an important inhibitory role in the complement system. CD46 regulates the complement cascade by inhibiting C3b and C4b deposited on self tissue. This protein is a cofactor that binds to C3b and C4b, allowing their degradation by a plasma serine protease called factor I. This function resides in the complement control protein repeats (CCPs), with CCP1-4 essential for regulation. CD46 is implicated in the development and/or progression of selected cancer types.

Synonyms: TLX, MIC10

Protein Families: Druggable Genome, Transmembrane
Protein Pathways: Complement and coagulation cascades

## **Product images:**



The cell lysates of Ramos, HeLa and A549 (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human CD46 antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.