

Product datasheet for AM50635PU-S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NUDT1 Mouse Monoclonal Antibody [Clone ID: AT3B3]

Product data:

Product Type: Primary Antibodies

Clone Name: AT3B3

Applications: ELISA, WB

Recommended Dilution: The antibody has been tested by ELISA, Western blot analysis to assure specificity and

reactivity. Since application varies, however, each investigation should be titrated by the

reagent to obtain optimal results.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Recombinant human NUDT1 (1-156aa) purified from E. coli.

Formulation: Liquid. In Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% Glycerol.

State: Purified

State: Liquid purified Ig fraction

Concentration: lot specific

Purification: Protein-A affinity chromatography

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: nudix hydrolase 1

Database Link: Entrez Gene 4521 Human

P36639






Background:

NUDT1, also known as MTH1 is a 179 amino acid cytoplasmic protein that is a member of the nudix hydrolase family. Highly expressed in testis, thymus and proliferating blood lymphocytes, NUDT1 functions as an antimutagenic that hydrolyzes oxidized purine nucleoside triphosphates to their corresponding monophosphates. Through its ability to enzymatically hydrolyze ATP and GTP to AMP and GMP, respectively, NUDT1 prevents misincorporation of GTP into D, thus preventing A:T to C:G transversions.

Synonyms: 7,8-dihydro-8-oxoguanine triphosphatase, 8-oxo-dGTPase, MTH1

Protein Families: Stem cell - Pluripotency

Product images:



The Cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human NUDT1 antibody (1:500). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system. Lane 1.: K-562 cell lysate Lane 2.: SW480 cell lysate Lane 3.: THP-1 cell lysate Lane 4.: Jurkat cell lysate Lane 5.: A549 cell lysate