

Product datasheet for AP01112BT-S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

VEGFA Goat Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, WB

Recommended Dilution: ELISA: Direct: To detect hVEGF by direct ELISA (using 100 µl/well antibody solution) a

concentration of $0.25 - 1.0 \,\mu\text{g/ml}$ is required. In conjunction with compatible secondary reagents, it allows the detection of at least $0.2 - 0.4 \,\text{ng/well}$ of recombinant VEGF.

reagents, it allows the detection of at least 0.2 - 0.4 ng/well of recombinant VEGF.

Western Blot: To detect VEGF by Western Blot analysis this antibody can be used at a

concentration of 0.1 - 0.2 μ g/ml. Used in conjunction with compatible secondary reagents the detection limit for recombinant hVEGF is 1.5 - 3.0 ng/lane, under either reducing or non-

reducing conditions.

Reactivity: Human

Host: Goat

Clonality: Polyclonal

Immunogen: Highly pure (> 98 %) recombinant human VEGF

Specificity: This antibody detects VEGF

Formulation: PBS, pH 7.2

Label: Biotin

State: Sterile filtered, lyophilized Ig fraction

Reconstitution Method: Centrifuge vial prior to opening. Restore in sterile PBS containing 0.1 % BSA to a

concentration of 0.1 - 1.0 mg/ml.

Purification: Affinity chromatography

Conjugation: Biotin

Storage: Store the lyophilized antibody at -20 °C. Following reconstitution it is stable for two weeks at

2 - 8 °C. Frozen aliquots are stable for 6 months when stored at -20 °C. Avoid repeated

freezing and thawing.

Stability: Shelf life: One year from despatch.

Gene Name: vascular endothelial growth factor A

Database Link: Entrez Gene 7422 Human

P15692







Synonyms:

VEGFA, VEGF, VPF, Vascular endothelial growth factor A, Vascular permeability factor