

# **Product datasheet for AP01139PU-N**

#### Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

EU: info-de@origene.com CN: techsupport@origene.cn

## **IGFBP5** Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: ELISA, IF, WB

**Recommended Dilution:** Indirect ELISA: To detect hIGF-BP5 (using 100 μl/well antibody solution) a concentration of

0.5-2.0 µg/ml of this antibody is required. In conjunction with compatible secondary reagents,

it allows the detection of at least 0.2-0.4 ng/well of recombinant hIGF-BP5.

**Sandwich ELISA:** To detect hIGF-BP5 (using 100  $\mu$ l/well antibody solution) a concentration of 0.5-2.0  $\mu$ g/ml of this antibody is required. In conjunction with Biotinylated Anti-Human IGF-BP5 (Cat.-No AP01139BT-N or AP01139BT-S) as a detection antibody, it allows the detection of

at least 0.2-0.4 ng/well of recombinant hIGF-BP5.

**Western blot:** To detect hIGF-BP5 this antibody can be used at a concentration of 0.1-0.2 µg/ml. Used in conjunction with compatible secondary reagents the detection limit for recombinant hIGF-BP5 is 1.5-3.0 ng/lane, under either reducing or non-reducing conditions.

**Immunofluorescence:** This antibody stained U-2 OS and U-251 MG cells.

The primary antibody was incubated at 2.0 mg/ml overnight at 4°C followed by a fluorescent labeled secondary antibody. Optimal concentrations and conditions may vary. *Information* 

and photo are courtesy of the Cell Profiling group, SciLifeLab Stockholm.

Reactivity: Human

Host: Rabbit

Clonality: Polyclonal

Immunogen: Highly pure (> 98%) *E.coli* derived recombinant Human IGF-BP5 (Cat.-No PA522)

**Specificity:** This antibody detects Insulin-like Growth Factor Binding Protein 5.

**Formulation:** PBS, pH 7.2

State: Aff - Purified

State: Lyophilized (sterile filtered) purified Ig fraction

**Reconstitution Method:** Centrifuge vial prior to opening.

Restore in sterile water to a concentration of 0.1-1.0 mg/ml.

**Purification:** Immunoaffinity Chromatography

Conjugation: Unconjugated





#### IGFBP5 Rabbit Polyclonal Antibody - AP01139PU-N

**Storage:** Store lyophilized at 2-8°C for 6 months or at -20°C long term.

After reconstitution store the antibody undiluted at 2-8°C for one month

or (in aliquots) at -20°C long term. Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Gene Name:** insulin like growth factor binding protein 5

**Database Link:** Entrez Gene 3488 Human

P24593


**Background:** IGFBP5 is one of a family of proteins that bind to insulin-like growth factors (IGFs). IGFBP5 is a

multifunctional protein which acts not only as a traditional binding protein but also functions as a growth factor independent of IGFs to stimulate bone formation. Currently there are seven named IGF-BPs that form high affinity complexes with both IGFI and IGFII. IGFBP5 is the major IGF-binding protein present in bone tissue and helps potentiate the action of IGFI on smooth muscle cells, fibroblasts or osteoblasts. Data shows that IGFBP5 acts as a growth inhibitor and pro-apoptotic agent in breast cancer cells. IGFBP5 overexpressing mice show an increase in neonatal mortality, reduced female fertility, whole-body growth inhibition and

retarded muscle development.


Synonyms: IGF-binding protein 5, IGFBP-5, IBP5, IBP-5

### **Product images:**




Western Blot (Unreduced) using IGFBP5 Antibody Cat.-No AP01139PU






Western Blot (Reduced) using IGFBP5 Antibody Cat.-No AP01139PU



Sandwich ELISA using IGFBP5 Antibody Cat.-No AP01139PU



This antibody stained U-2 OS and U-251 MG cells. The primary antibody was incubated at 2.0 mg/ml overnight at 4°C followed by a fluorescent labeled secondary antibody. Optimal concentrations and conditions may vary. Information and photo are courtesy of the Cell Profiling group, SciLifeLab Stockholm.