

Product datasheet for AP01228PU-N

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

TACC1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, IHC, WB

Recommended Dilution: Western blot: 1/500-1/1000.

Immunofluorescence: 1/50-1/200.

Immunohistochemistry on paraffin sections: 1/50-1/200.

Reactivity: Human, Mouse

Host: Rabbit

Clonality: Polyclonal

Immunogen: Synthetic peptide, corresponding to amino acids 11-60 of Human TACC1.

Specificity: This antibody detects endogenous levels of TACC1 protein. (region surrounding Glu41)

Formulation: Phosphate buffered saline (PBS), pH~7.2

State: Aff - Purified

State: Liquid purified Ig fraction (> 95% pure by SDS-PAGE).

Preservative: 0.05% Sodium Azide

Concentration: 1.0 mg/ml

Purification: Affinity Chromatography using epitope-specific immunogen.

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: One year from despatch.

Predicted Protein Size: ~87 kDa

Gene Name: transforming acidic coiled-coil containing protein 1

Database Link: Entrez Gene 6867 Human

<u>075410</u>

Background: TACC1 is thought to be involved in the processes that promote cell division prior to the

formation of differentiated tissues. It interacts with KIAA0097/CH-TOG and with the

oncogenic transcription factor YEATS4, in addition to the Aurora kinases A and B (STK6 and


AURKB) and LSM7, TDRD7 and SNRPG.





Synonyms: KIAA1103

Product images:



Western blot (WB) analysis of TACC1 antibody in extracts from K562 cells.