

## **Product datasheet for AP01457PU-M**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# TGF beta Receptor I (TGFBR1) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: WB

Recommended Dilution: Western Blot: 1/500-1/1000.

Reactivity: Human, Mouse, Rat

**Host:** Rabbit

Clonality: Polyclonal

**Immunogen:** Synthetic peptide, corresponding to amino acids 150-200 of Human TGFβ RI.

**Specificity:** This antibody detects endogenous levels of TGFβ RI protein (region surrounding Glu161).

**Formulation:** Phosphate buffered saline (PBS), pH~7.2

State: Aff - Purified

State: Liquid purified Ig fraction (> 95% by SDS-PAGE)

Preservative: 15 mM Sodium Azide

**Concentration:** 1.0 mg/ml

**Purification:** Affinity Chromatography using epitope-specific immunogen

**Conjugation:** Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Predicted Protein Size:** ~ 55 kDa

**Gene Name:** transforming growth factor beta receptor 1

Database Link: Entrez Gene 7046 Human

P36897




#### Background:

Three members of the TGF beta family, TGF beta 1, TGF beta 2 and TGF beta 3, are known in mammals. TGF betas mediate their activity by high affinity binding to the type 2 receptor, which requires both its kinase activity and association with members of a series of related type 1 receptors called activin receptor like kinase (ALK) 1 to 6. Of these, only ALK5 has been shown to represent a functional TGF beta type 1 receptor, but only ALK2 and ALK4 bind activin with high affinity. TGF beta R3 binds TGF beta and retains TGF beta for presentation to the signaling receptors.

Synonyms:

TGF-beta receptor type-1, TGF-beta type I receptor, TbetaR-I, TGFR-1, ALK5, SKR4

### **Product images:**



Western blot analysis of TGF $\beta$  RI Antibody at 1/500 dilution. Lane 1: Hela whole cell lysate. Lane 2: LO2 whole cell lysate. Lane 3: Raw264.7 whole cell lysate. Lane 4: Mouse kidney tissue lysate. Lane 5: Rat heat tissue lysate.