

Product datasheet for AP01498PU-M

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

NDRG4 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Western Blot: 1/500-1/1000.

Immunohistochemistry on paraffin sections: 1/50-1/200.

Reactivity: Human, Mouse, Rat

Host: Rabbit

Clonality: Polyclonal

Specificity: NDRG4 antibody detects endogenous levels of NDRG4 protein. (region surrounding Gly217)

Formulation: Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

State: Aff - Purified

State: Liquid purified Ig fraction

Concentration: 1.0 mg/ml

Purification: Affinity chromatography

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: ~ 34 kDa

Gene Name: NDRG family member 4

Database Link: Entrez Gene 65009 Human

Q9ULP0






Background:


The N-Myc downstream regulated gene (NDRG) family is comprised of four members, namely NDRG1, NDRG2, NDRG3 and NDRG4, all of which share 57-65% homology. NDRG4 (NDRG family member 4), also known as SMAP8 (smooth muscle-associated protein 8) or BDM1 (brain development-related molecule 1), is a 352 amino acid cytoplasmic protein that belongs to the NDRG family. Expressed specifically in brain and heart, NDRG4 is thought to function as a regulator of mitogenic signaling in vascular smooth muscle cells. Additionally, NDRG4 may play a role in early postnatal development and may mediate the differentiation and subsequent function of neuronal cells. NDRG4 is expressed as six isoforms (the first three of which are designated NDRG4- BVar, NDRG4-B and NDRG4-H) due to alternative splicing events.

Synonyms: BDM1, KIAA1180

Product images:



Western blot analysis of NDRG4 ([AP01498PU-N]) polyclonal antibody at 1:1000 dilution Lane1:MCF-7. whole cell lysate(30ug) Lane2:A549 whole cell lysate(30ug) Lane3:EC9706 whole cell lysate(30ug).



Immunohistochemistry (IHC) analyzes of NDRG4 antibody (Cat.-No.: [AP01498PU-N]) in paraffinembedded human heart tissue.