

Product datasheet for **AP01585PU-M**

Ezrin (EZR) pTyr353 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	Western Blot: 1/500-1/1000.
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Specificity:	This antibody detects endogenous levels of Ezrin pTyr353 protein.
Formulation:	Phosphate buffered saline (PBS), pH~7.2 containing 0.05% Sodium Azide as preservative. State: Aff - Purified State: Liquid purified Ig fraction (> 95% pure by SDS-PAGE).
Concentration:	1.0 mg/ml
Purification:	Affinity Chromatography using epitope-specific immunogen.
Conjugation:	Unconjugated
Storage:	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: One year from despatch.
Predicted Protein Size:	~ 69 kDa
Gene Name:	ezrin
Database Link:	Entrez Gene 7430 Human P15311


[View online »](#)

Background:

The microvillar core protein Ezrin is a tyrosine-phosphorylated protein found in epidermal growth factor-stimulated A-431 carcinoma cells. Ezrin is phosphorylated transiently to a high level on Tyrosine residues 146 and 354. One of the sites, Tyrosine 146, lies in the amino-terminal region of homology that is common to the protein 4.1-Talin-Ezrin protein family. This tyrosine residue and its vicinal amino acids are conserved throughout the family which includes Radixin, Moesin and the two phosphotyrosine phosphatases, PTP H1 and PTP MEG. Another phosphorylation site is Tyrosine 354, which is localized within the α -helical domain of Ezrin. Cytoplasmic signaling may result in activation of Ezrin in tyrosine phosphorylation and this suggests that Ezrin has qualities that might play a role in modulation of cell shape and adhesion.

Synonyms:

p81, Cytovillin, Villin-2, EZR, VIL2

Product images:


Western blot (WB) analysis of Ezrin pTyr353 antibody (Cat.-No.: [AP01585PU-N]) in extracts from HT-29 cells treated with Calyculin A 50ng/ml.