

# **Product datasheet for AP01615PU-N**

#### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

## CD61 (ITGB3) pTyr773 Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

**Recommended Dilution:** Western Blot: 1/500-1/1000.

Immunohistochemistry on paraffin sections: 1/50-1/200.

Reactivity: Human, Mouse, Rat

**Host:** Rabbit

**Clonality:** Polyclonal

**Specificity:** This antibody detects endogenous levels of Integrin beta-3 pTyr773 protein.

**Formulation:** Phosphate buffered saline (PBS), pH~7.2 containing 0.05% Sodium Azide as preservative.

State: Aff - Purified

State: Liquid purified Ig fraction (> 95% pure by SDS-PAGE).

**Concentration:** 1.0 mg/ml

**Purification:** Affinity Chromatography using epitope-specific immunogen.

Conjugation: Unconjugated

**Storage:** Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: One year from despatch.

Predicted Protein Size: ~ 130 kDa

Gene Name: integrin subunit beta 3

Database Link: Entrez Gene 3690 Human

P05106






#### Background:

Integrins are heterodimers composed of noncovalently associated transmembrane  $\alpha$  and  $\beta$  subunits. The 16  $\alpha$  and 8  $\beta$  subunits heterodimerize to produce more than 20 different receptors. Most integrin receptors bind ligands that are components of the extracellular matrix, including Fibronectin, collagen and Vitronectin. Certain integrins can also bind to soluble ligands such as Fibrinogen, or to counterreceptors on adjacent cells such as the intracellular adhesion molecules (ICAMs), leading to aggregation of cells. Ligands serve to cross-link or cluster integrins by binding to adjacent integrin receptors; both receptor clustering and ligand occupancy are necessary for the activation of integrin-mediated responses. In addition to mediating cell adhesion and cytoskeletal organization, integrins function as signaling receptors. Signals transduced by integrins play a role in many biological processes, including cell growth, differentiation, migration and apoptosis


Synonyms:

Integrin beta-3, GP3A, GPIIIa

## **Product images:**



Western blot (WB) analysis of Integrin beta-3 pTyr773 antibody (Cat.-No.: AP01615PU-N) in extracts from COS7 cells treated with Insulin 0.01U/ml 15'.



Immunohistochemistry (IHC) analysis of Integrin beta-3 pTyr773 antibody (Cat.-No.: AP01615PU-N) in paraffin-embedded human breast carcinoma tissue.