

Product datasheet for AP01677PU-N

Rb (RB1) pSer807 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	Western Blot: 1/500-1/1000.
	Immunohistochemistry on paraffin sections 1/50-1/200.
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Specificity:	This antibody detects endogenous levels of Rb pSer807 protein.
Formulation:	Phosphate buffered saline (PBS), pH~7.2 containing 0.05% Sodium Azide as preservative. State: Aff - Purified
	State: Liquid purified lg fraction (> 95% pure by SDS-PAGE).
Concentration:	1.0 mg/ml
Purification:	Affinity Chromatography using epitope-specific immunogen.
Conjugation:	Unconjugated
Storage:	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: One year from despatch.
Predicted Protein Size:	~ 106 kDa
Gene Name:	RB transcriptional corepressor 1
Database Link:	<u>Entrez Gene 5925 Human</u> <u>P06400</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE Rb (RB1) pSer807 Rabbit Polyclonal Antibody – AP01677PU-N


Background:The genetic predisposition to retinoblastoma is transmitted by mutant alleles of the
retinoblastoma susceptibility gene (Rb). Rb encodes a phosphorylated protein of
approximately 110 kDa that accumulates in the nuclei of most vertebrate cells, but is lacking
in all retinoblastomas examined to date. Mutations in Rb have been found in a wide variety of
human tumors. The carboxy terminal domain of Rb p110 binds DNA, although no sequence
specificity for this binding has been demonstrated. Inactivation of Rb can be mediated by its
binding to the transforming proteins of several DNA tumor viruses, including SV40 T antigen
and adenovirus E1A, perhaps accounting for their transforming function. Rb p110 is
differentially phosphorylated during the cell cycle, implicating a possible role in cell cycle
regulation.

Synonyms: Retinoblastoma 1, Rb, p105-Rb, pRb, pp110, OSRC

Product images:



Western blot (WB) analysis of Rb pSer807 antibody (Cat.-No.: AP01677PU-N) in extracts from K562 cells treated with serum 10%.



Immunohistochemistry (IHC) analyzes of Rb pSer807 antibody (Cat.-No.: AP01677PU-N) in paraffin-embedded human breast carcinoma tissue.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US