

Product datasheet for AP01691PU-N

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

STAT3 pSer727 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, IP, WB

Recommended Dilution: Western Blot: 1/500-1/1000.

Immunohistochemistry on paraffin sections 1/50-1/200. Immunoprecipitation: Use at an assay dependent dilution .

Reactivity: Human, Mouse, Rat

Host: Rabbit

Clonality: Polyclonal

Specificity: This antibody detects endogenous levels of STAT3 pSer727 protein.

Formulation: Phosphate buffered saline (PBS), pH~7.2 containing 15 mM Sodium Azide as preservative.

State: Aff - Purified

State: Liquid purified Ig fraction (> 95% pure by SDS-PAGE).

Concentration: 1.0 mg/ml

Purification: Affinity Chromatography using epitope-specific immunogen.

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: One year from despatch.

Predicted Protein Size: ~ 85 kDa

Gene Name: signal transducer and activator of transcription 3

Database Link: Entrez Gene 6774 Human

P40763




Background:

STAT1 and STAT2 are induced by IFN alpha and forn 1, a heterodimer which is part of the ISGF transcription factor complex. The STAT3 protein is expressed in most cell types and is activated by multiple cytokines and growth factors including: IFNa, IL10, IL6, IL11, IL12, IL2, EGF, among others. STAT3 beta appears to be activated by both EGF and IL6, but STAT3 alpha is only activated by EGF. STAT3 binds to DNA as either a homodimer or as a heterodimer with STAT1. STAT3 interacts with the APRE acute phase response element) and SIE (csis inducible element). STAT4, predominantly expressed in testis and myeloid cells, is activated by IL12. STAT5 is activated by prolactin and IL3. STAT6 participates in signaling pathways mediated by IL4.


Synonyms:

STAT-3, Acute-phase response factor, APRF

Product images:



Western blot (WB) analysis of STAT3 pSer727 antibody (Cat.-No.: AP01691PU-N) in extracts from HeLa cells.



Immunohistochemistry (IHC) analyzes of STAT3 perS727 antibody (Cat.-No.: AP01691PU-N) in paraffin-embedded human breast carcinoma tissue.