

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for AP02306PU-N

ELK1 pSer383 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	Suitable for use in Western blot (1:500~1:1000) and Immunohistochemistry (1:50~1:100).
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	The antiserum was produced against synthesized phosphopeptide derived from human Elk-1 around the phosphorylation site of Serine 383 (T-L-S(p)-P-I).
Specificity:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed bychromatography using non-phosphopeptide corresponding to the phosphorylation site. Elk-1 (phospho-Ser383) antibody detects endogenous levels of Elk-1 only when phosphorylated at serine 383.
Formulation:	Phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02% Sodium Azide and 50% glycerol. State: Aff - Purified State: Liquid purified Ig fraction.
Concentration:	lot specific
Purification:	Immunoaffinity chromatography.
Conjugation:	Unconjugated
Storage:	Store the antibody (in aliquots) at -20°C. Avoid repeated freezing and thawing.
Stability:	Shelf life: One year from despatch.
Gene Name:	ELK1, ETS transcription factor
Database Link:	<u>Entrez Gene 2002 Human</u> <u>P19419</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

ELK1 pSer383 Rabbit Polyclonal Antibody – AP02306PU-N

Background:The transcription factor Elk1 is a component of the ternary complex that binds the serum
response element (SRE) and mediates gene activity in response to serum and growth factors.
Elk1 is phosphorylated by MAP kinase pathways at a cluster of S/T motifs at its C terminus.
Phosphorylation at these sites, particularly Ser383, is critical for transcriptional activation by
Elk1. Elk1 appears to be a direct target of activated MAP kinase. Biochemical studies indicate
that Elk1 is a good substrate for MAP kinase, the kinetics of Elk1 phosphorylation and
activation correlate with MAP kinase activity, and interfering mutants of MAP kinase block
Elk1 activation in vivo. More recent studies have shown that Elk1 (Ser383) is also a target of
the Stress Activated Kinase SAPK/JNK. Phosphorylation of Elk1 has also been implicated in
synaptic plasticity in the adult hippocampus.

Synonyms:

Elk-1

Product images:





Figure 2. Western blot analysis of extract from HT29 cells untreated or treated with UV using Elk-1 antibody (phospho-Ser383).



P-Peptide

Figure 1. Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using Elk-1 (phospho-Ser383) antibody.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US