

Product datasheet for **AP02344PU-N**

STAT3 pTyr705 Rabbit Polyclonal Antibody

Product data:


Product Type:	Primary Antibodies
Applications:	IF, IHC, WB
Recommended Dilution:	Western blot: 1/500~1/1000. Immunohistochemistry: 1/50~1/100. Immunofluorescence: 1/100~1/200.
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	Synthetic phosphopeptide, sequence around phosphorylation site of Tyrosine 705 (A-P-Y(p)-L-K), and KLH conjugates.
Specificity:	STAT3 (phospho-Tyr705) antibody detects endogenous levels of STAT3 only when phosphorylated at Tyrosine 705.
Formulation:	Phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150 mM NaCl, 0.02% Sodium Azide and 50% glycerol. State: Aff - Purified State: Liquid purified Ig fraction
Concentration:	lot specific
Purification:	Immunogen affinity chromatography using epitope-specific phospho peptide. Non-phospho specific antibodies were removed by chromatography using non-phospho peptide.
Conjugation:	Unconjugated
Storage:	Upon receipt, store undiluted (in aliquots) at -20°C. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	88 kDa
Gene Name:	signal transducer and activator of transcription 3
Database Link:	Entrez Gene 6774 Human P40763




[View online »](#)

Synonyms: STAT-3, Acute-phase response factor, APRF


Product images:



Western blot analysis of extracts from HeLa cells using STAT3 (phospho-Tyr705) Antibody




Western blot analysis of extracts from HeLa cells untreated or treated with IFN a using STAT3 (Phospho-Tyr705) Antibody




P-Peptide - +


Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using STAT3 (phospho-Tyr705) Antibody



Immunohistochemical analysis of paraffin-embedded human Lung carcinoma tissue using STAT3 (Phospho-Tyr705) Antibody



untreated



IFN treated

Immunofluorescence staining of methanol-fixed MEF cells untreated or treated with IFN using STAT3 (Phospho-Tyr705) Antibody.