

Product datasheet for AP02352PU-N

ATF 4 (ATF4) pSer245 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: Suitable for use in Immunohistochemistry (1:50~1:100).

Reactivity: Human

Host: Rabbit

Clonality: Polyclonal

Immunogen: The antiserum was produced against synthesized phosphopeptide derived from human ATF4

around the phosphorylation site of serine 245 (N-R-Sp-L-P).

Specificity: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatography using non-phosphopeptide corresponding to the phosphorylation site.

ATF4 (phospho-Ser245) antibody detects endogenous levels of ATF4 only when

phosphorylated at serine 245.

Formulation: Phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02% Sodium

Azide and 50% glycerol. State: Aff - Purified

State: Liquid purified Ig fraction.

Concentration: lot specific

Purification: Immunoaffinity chromatography.

Conjugation: Unconjugated

Storage: Store the antibody (in aliquots) at -20°C.

Avoid repeated freezing and thawing.

Stability: Shelf life: One year from despatch.

Gene Name: activating transcription factor 4

Database Link: Entrez Gene 468 Human

P18848



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

ATF4 is a transcription factor that was originally identified as a widely expressed mammalian DNA binding protein that could bind a tax-responsive enhancer element in the LTR of HTLV1. The encoded protein was also isolated and characterized as the cAMP-response element binding protein 2 (CREB2). The protein encoded by this gene belongs to a family of DNA-binding proteins that includes the AP1 family of transcription factors, cAMP-response element binding proteins (CREBs) and CREB-like proteins. These transcription factors share a leucine zipper region that is involved in protein-protein interactions, located C-terminal to a stretch of basic amino acids that functions as a DNA binding domain.

Synonyms:

CREB2, CREB-2, TXREB, Activating transcription factor 4, ATF-4

Product images:




Figure 1. Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue, using ATF4 (phospho-Ser245) antibody.